# SAFETY DATA SHEET

1. Identification

Product identifier

HP Color LaserJet CE410A-X-XC-XD-L Black Print Cartridge

Other means of identification

Not available.

Recommended use

This product is a black toner preparation that is used in HP LaserJet Pro 300 color M351/ HF LaserJet Pro 400 color M51/ HP LaserJet Pro 400 color M51/ HP

LaserJet Pro 400 color M451/ HP LaserJet Pro 300 color MFP M375/ HP LaserJet Pro 400 color MFP

M475 series printers.

**Recommended restrictions** 

None known.

**Issue date** 

02-Dec-2014

Company identification

Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185

**United States** 

Telephone 650-857-5020

Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209

(Direct) 1-760-710-0048 HP Customer Care Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

# 2. Hazard(s) identification

**Physical hazards** 

Not classified.

**Health hazards** 

Serious eye damage/eye irritation

Category 2A

Carcinogenicity

Category 2

Specific target organ toxicity, repeated

Category 1 (lung)

exposure

**Environmental hazards** 

Not classified.

**OSHA** defined hazards

Not classified.

**Label elements** 

**Hazard symbol** 

None.

Signal word

None.

**Hazard statement** 

Not available.

**Precautionary statement** 

Prevention

Not available.

Response

Not available.

Storage

Not available.

Disposal

Not available.

Hazard(s) not otherwise

classified (HNOC)

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present

this carcinogenic risk. This product is not classified as hazardous according to OSHA CFR

1910.1200 or EU Directive 1999/45/EC, as amended.

Supplemental information

None.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Styrene acrylate copolymer		Trade Secret	<85
Carbon black		1333-86-4	<10

Material name: CE410A-X-XC-XD-L 12717 Version #: 01 Issue date: 02-Dec-2014 SDS US

Chemical name	Common name and synonyms	CAS number	%	
Wax	Wax	Trade Secret	<10	
Amorphous silica	Amorphous silica	7631-86-9	<3	

## 4. First-aid measures

**Inhalation** Move person to fresh air immediately. If irritation persists, consult a physician.

**Skin contact**Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists, consult a physician.

**Ingestion**Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a

physician.

Most important

symptoms/effects, acute and

delayed

Not available.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

CO2, water, or dry chemical

None known.

Specific hazards arising from

the chemical

Not applicable.

Special protective equipment

and precautions for

firefighters

Not available.

Fire-fighting

equipment/instructions

If fire occurs in the printer, treat as an electrical fire.

Specific methods

None established.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Minimize dust generation and accumulation.

Methods and materials for containment and cleaning up

Not available.

Environmental precautions

Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.

## 7. Handling and storage

Precautions for safe handling

Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames.

Conditions for safe storage,

including any incompatibilities

1333-86-4)

Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers.

Store at room temperature.

## 8. Exposure controls/personal protection

#### Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

 Components
 Type
 Value

 Carbon black (CAS
 PEL
 3.5 mg/m3

US ACGIH Threshold Limit Values

Components	Туре	Value	Form
Carbon black (CAS	TWA	3 mg/m3	Inhalable fraction.
1333-86-4)			

Components	Туре	Value
Amorphous silica (CAS 7631-86-9)	TWA	6 mg/m3
Carbon black (CAS 1333-86-4)	TWA	0.1 mg/m3
ological limit values	No biological exposure limits noted for the ingredient(s).	
posure guidelines	USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction)	

ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate), 3 mg/m3 (Respirable Particulate)

Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10

mg/m3

TRGS 900 (Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion)

UK WEL: 10 mg/m3 (Respirable Dust), 5 mg/m3 (Inhalable Dust)

Appropriate engineering controls

Use in a well ventilated area.

Eye/face protection

Individual protection measures, such as personal protective equipment

Skin protection

Not available.

**Hand protection** Not available. Other Not available. Respiratory protection Not available. Thermal hazards Not available.

## 9. Physical and chemical properties

**Appearance** Fine powder Solid. Physical state Color Black.

Odor Slight plastic odor **Odor threshold** Not available. Not applicable Melting point/freezing point Not available. Initial boiling point and Not applicable

boiling range

Flash point Not applicable **Evaporation rate** Not applicable Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

Not flammable

(%)

Flammability limit upper (%)

Not available.

**Explosive limit - lower** 

Not available.

(%) **Explosive limit - upper** 

Not available.

(%)

Vapor pressure Not applicable

12717 Version #: 01 Issue date: 02-Dec-2014

Solubility(ies)

Solubility (water)

Negligible in water. Partially soluble in toluene and xylene.

Partition coefficient

Not available.

(n-octanol/water)

Material name: CE410A-X-XC-XD-L

SDS US

3/7

**Auto-ignition temperature** Not applicable

**Decomposition temperature** > 392 °F (> 200 °C)

**Viscosity** 

Not applicable

Other information

Percent volatile

0 % estimated

Softening point 176 - 266 °F (80 - 130 °C)

Specific gravity 1 - 1.2 (H2O = 1)

#### 10. Stability and reactivity

Reactivity

Not available.

Chemical stability

Stable under normal storage conditions.

Possibility of hazardous

reactions

Will not occur.

Conditions to avoid

Imaging Drum: Exposure to light

**Incompatible materials** 

Strong oxidizers

Hazardous decomposition

Carbon monoxide and carbon dioxide.

products

## 11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

**Acute toxicity** 

Skin corrosion/irritation

Not available.

Serious eye damage/eye

irritation

Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU

Directive 67/548/EEC and as amended.

Respiratory or skin sensitization

Respiratory sensitization

Not available.

Skin sensitization

Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU

Directive 67/548/EEC and as amended.

Germ cell mutagenicity

Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity

Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

## IARC Monographs. Overall Evaluation of Carcinogenicity

Carbon black (CAS 1333-86-4)

2B Possibly carcinogenic to humans.

Reproductive toxicity

Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).

Specific target organ toxicity

- single exposure

Not available.

Specific target organ toxicity

Not available.

 repeated exposure Aspiration hazard

Not available.

Chronic effects

No information available.

**Further information** 

Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

Material name: CE410A-X-XC-XD-L

12717 Version #: 01 Issue date: 02-Dec-2014

**Species Test Results** Components

Amorphous silica (CAS 7631-86-9)

Acute

Oral

LD50

Mouse

> 15000 mg/kg

> 22500 mg/kg

Carbon black (CAS 1333-86-4)

Acute Oral

LD50

Rat

Rat

> 8000 mg/kg

12. Ecological information

**Aquatic toxicity** 

Not available

**Ecotoxicity** 

LC50: > 100 mg/l, Fish, 96.00 Hours

**Product** 

**Species** 

**Test Results** 

CE410A-X-XC-XD-L

Aquatic

Fish

LC50

Fish

> 100 mg/l, 96 Hours

Persistence and degradability Not available.

**Bioaccumulative potential** 

Mobility in soil

Not available. Not available.

Other adverse effects

This product has not been tested for ecological effects.

#### 13. Disposal considerations

**Disposal instructions** 

Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

## 14. Transport information

**Further information** 

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

#### 15. Regulatory information

**US federal regulations** 

US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - Yes Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

Material name: CE410A-X-XC-XD-L

12717 Version #: 01 Issue date: 02-Dec-2014

SARA 311/312

Hazardous chemical

SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

No

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

#### US state regulations

US. Massachusetts RTK - Substance List

Carbon black (CAS 1333-86-4)

US. New Jersey Worker and Community Right-to-Know Act

Carbon black (CAS 1333-86-4)

US. Pennsylvania Worker and Community Right-to-Know Law

Carbon black (CAS 1333-86-4)

**US. Rhode Island RTK** 

Not regulated.

**US. California Proposition 65** 

# US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

CARBON BLACK (AIRBORNE, UNBOUND PARTICLES Listed: February 21, 2003 OF RESPIRABLE SIZE [<= 10 MICROMETERS]) (CAS 1333-86-4)

Regulatory information

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

# 16. Other information, including date of preparation or last revision

**Issue date** 

02-Dec-2014

Version #

01

Disclaimer

This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

**Revision Information** 

1. Product and Company Identification: Alternate Trade Names

Physical & Chemical Properties: Multiple Properties

Manufacturer information

Hewlett-Packard Company 11311 Chinden Boulevard Boise, ID 83714 USA (Direct) 1-503-494-7199

(Toll-free within the US) 1-800-457-4209

Material name: CE410A-X-XC-XD-L

12717 Version #: 01 Issue date: 02-Dec-2014

## **Explanation of abbreviations**

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

**DOT** Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds