Section 1: Product & Company Identification

Product Name:

QD® Electronic Cleaner (aerosol)

Product Number (s):

05101, 05103, 05703

Product Use:

Electronic cleaner

Manufacturer / Supplier Contact Information:

In United States:

In Canada:

CRC Industries, Inc.

CRC Canada Co.

885 Louis Drive Warminster, PA 18974

2-1246 Lorimar Drive

www.crcindustries.com 1-215-674-4300 (General) Mississauga, Ontario L5S 1R2

www.crc-canada.ca

Colonia Orquidea San Luís Potosi, SLP CP 78394

(800) 521-3168 (Technical)

1-905-670-2291

www.crc-mexico.com 52-444-824-1666

CRC Industries Mexico

Av. Benito Juárez 4055 G

In Mexico:

(800) 272-4620 (Customer Service)

24-Hr Emergency - CHEMTREC: (800) 424-9300 or (703) 527-3887

Section 2: Hazards Identification

Emergency Overview

DANGER: Extremely Flammable. Harmful or Fatal if Swallowed. Contents Under Pressure.

Appearance & Odor: Clear, colorless liquid with alcohol odor

Potential Health Effects:

ACUTE EFFECTS:

EYE: May cause mild irritation including stinging and redness, but does not injure eye.

Single, brief exposures may cause mild irritation. Frequent or prolonged contact may cause more severe irritation, defatting of the skin, and dermatitis.

INHALATION:

High vapor concentrations are irritating to the respiratory tract and may cause headaches, dizziness, anesthesia, drowsiness, unconsciousness and other central nervous system effects, including death.

May cause peripheral nervous system disorder and/or damage.

INGESTION:

Low order of toxicity by ingestion. Main hazard is aspiration into the lungs during swallowing or vomiting. Small amounts aspirated into the respiratory system may cause bronchopneumonia or pulmonary adema, possibly progressing to death.

CHRONIC EFFECTS:

Overexposure to n-hexane may cause progressive and potentially irreversible damage to the

peripheral nervous system, particularly in the arms and legs.

TARGET ORGANS:

Central nervous system, peripheral nervous system, respiratory system

Medical Conditions Aggravated by Exposure: skin and respiratory conditions

See Section 11 for toxicology and carcinogenicity information on product ingredients.

Product Number (s): 05101, 05103, 05703

Section 3: Composition/Information on Ingredients

COMPONENT	CAS NUMBER	% by Wt	
Hexane isomers	64742-49-0 / 107-83-5 / 96-14-0 / 75-83-2 / 79-29-8	65 – 75	
n-Hexane	110-54-3	5.2	
Ethanol	64-17-5	< 1	
1,1-Difluoroethane (HFC-152a)	75-37-6	20 - 30	

Section 4: First Aid Measures

Eye Contact:

Immediately flush with plenty of water for 15 minutes. Call a physician if irritation persists.

Skin Contact:

Remove contaminated clothing and wash affected area with soap and water. Call a physician if

irritation persists. Wash contaminated clothing prior to re-use.

Inhalation:

Remove person to fresh air. Keep person calm. If not breathing, give artificial respiration. If

breathing is difficult give oxygen. Call a physician.

Ingestion:

Do NOT induce vomiting. Contact a physician immediately.

Note to Physicians:

Treat symptomatically. Gastric lavage using a cuffed endotracheal tube may be performed at your

discretion.

Section 5: Fire-Fighting Measures

Flammable Properties:

This product is extremely flammable in accordance with aerosol flammability definitions.

(See 16 CFR 1500.3(c)(6)).

Flash Point:

< 0°F / < -17°C (TCC)

Upper Explosive Limit: 9.0

Autoignition Temperature: 489°F / 254°C

Lower Explosive Limit:

Fire and Explosion Data:

Suitable Extinguishing Media:

Class B fire extinguishers, dry chemical, foam or CO2

Products of Combustion:

Fumes, smoke and carbon monoxide

Explosion Hazards:

Aerosol containers, when exposed to heat from fire, may build pressure and explode. Vapors

may accumulate in a confined space and create a flammable atmosphere.

Protection of Fire-Fighters:

Firefighters should wear self-contained, NIOSH-approved breathing apparatus for protection against suffocation and possible toxic decomposition products. Proper eye and skin protection should be provided. Use water spray to keep fire-exposed containers cool and to knock down vapors which may result from product decomposition. Do not spray water directly on fire; product will float and could be reignited on surface of water.

Section 6: Accidental Release Measures

Personal Precautions:

Use personal protection recommended in Section 8.

Environmental Precautions:

Take precautions to prevent contamination of ground and surface waters. Do not flush into sewers or storm drains

Page 2 of 7

Product Name: QD® Electronic Cleaner (aerosol)
Product Number (s): 05101, 05103, 05703

Methods for Containment & Clean-up:

Dike area to contain spill. Remove all sources of ignition. Ventilate the area with fresh air. If in confined space or limited air circulation area, clean-up workers should wear appropriate respiratory protection. Recover or absorb spilled material using an absorbent designed for chemical spills. Place used absorbents into proper waste containers.

Section 7: Handling and Storage

Handling Procedures: Use proper grounding and bonding procedures for transferring materials. Do not use product

near any source of ignition. Avoid contact with eyes and skin. Avoid breathing vapors. Use caution around energized equipment. The metal container will conduct electricity if it contacts a live source. This may result in injury to the user from electrical shock and/or flash fire. For

product use instructions, please see the product label.

Storage Procedures: Store in a cool dry area out of direct sunlight. Aerosol cans must be maintained below 120°F /

49°C to prevent cans from rupturing.

Aerosol Storage Level: III

Section 8: Exposure Controls/Personal Protection

Exposure Guidelines:

	0	SHA	AC	GIH	OTHER			
COMPONENT	TWA	STEL	TWA	STEL	TWA	SOURCE	UNIT	
Hexane isomers	500(v)	1000(v)	500	1000	NE		ppm	
n-Hexane	500	NE	50(s)	NE	NE		ppm	
Ethanol	1000	NE	1000	NE	NE		ppm	
1,1-Difluoroethane (HFC-152a)	NE	NE	NE	NE	1000	AIHA	ppm	
N.E. – Not Establ	ished	(c) - ceilir	g (s) -	- skin	(v) – vaca	ated		

Controls and Protection:

Engineering Controls: Area should have ventilation to provide fresh air. Local exhaust ventilation is generally

preferred because it can control the emissions of the contaminant at the source, preventing dispersion into the general work area. Use mechanical means if necessary to maintain vapor levels below the exposure guidelines. If working in a confined space, follow applicable OSHA

regulations.

Respiratory Protection: None required for normal work where adequate ventilation is provided. If engineering controls

are not feasible or if exposure exceeds the applicable exposure limits, use a NIOSH-approved cartridge respirator with organic vapor cartridge. Air monitoring is needed to determine actual employee exposure levels. Use a self-contained breathing apparatus in confined spaces and

for emergencies.

Eye/face Protection: For normal conditions, wear safety glasses. Where there is reasonable probability of liquid

contact, wear splash-proof goggles.

Skin Protection: Use protective gloves such as nitrile, PVC, Viton®. Also, use full protective clothing if there is

prolonged or repeated contact of liquid with skin.

Section 9: Physical and Chemical Properties

Product Number (s): 05101, 05103, 05703

Physical State: liquid Color: clear, colorless

Odor: alcohol Odor Threshold: ND Specific Gravity: 0.66

Initial Boiling Point: 140°F / 60°C Freezing Point: <-76°F / <-60°C

Vapor Pressure: 175 mmHg @ 68°F / 20°C Vapor Density: > 1 (air = 1)

Evaporation Rate: very fast
Solubility: negligible in water
Coefficient of water/oil distribution:

pH: NA

Volatile Organic Compounds: wt %: 75 g/L: 495 lbs./gal: 4.1

ND

Section 10: Stability and Reactivity

Stability: Stable

Conditions to Avoid: Sources of ignition, temperature extremes

Incompatible Materials: Strong oxidizers

Hazardous Decomposition Products: Oxides of carbon

Possibility of Hazardous Reactions: No

Section 11: Toxicological Information

Long-term toxicological studies have not been conducted for this product. The following information is available for components of this product.

Acute Toxicity:

Component	Oral LD50 (rat)	Dermal LD50 (rabbit)	Inhalation LC50 (rat)
Hexane isomers	> 15,000 mg/kg	> 2000 mg/kg	No data
n-Hexane	28,710 mg/kg	3000 mg/kg	48,000 ppm/4H
Ethanol	760 mg/kg	No data	20,000 ppm/10H
1,1-Difluoroethane (HFC-152a)	No data	No data	25 ppm/30M

Chronic Toxicity:

	OSHA	IARC	NTP		
Component	Carcinogen	Carcinogen	Carcinogen	Irritant	Sensitizer
Hexane isomers	No	No	No	No	Unknown
n-Hexane	No	No	No	E, S, & R (moderate)	Unknown
Ethanol	No	No	No	E (mild) / S (moderate)	Unknown
1,1-Difluoroethane (HFC-152a)	No	No	No	No	Unknown

E – Eye S – Skin R - Respiratory

Reproductive Toxicity:
Teratogenicity:
Mutagenicity:
No information available
No information available
No information available

Synergistic Effects: No information available

Product Number (s): 05101, 05103, 05703

Section 12: Ecological Information

Ecological studies have not been conducted for this product. The following information is available for components of this product.

Ecotoxicity: n-hexane - 48 Hr EC50 water flea: 3.87 mg/L

96 Hr LC50 Lepomis macrochirus: 4.12 mg/L

Persistence / Degradability: No information available Bioaccumulation / Accumulation: Mobility in Environment:

No information available No information available

Section 13: Disposal Considerations

Waste Classification: The dispensed liquid product is a RCRA hazardous waste for the characteristic of ignitability

with a waste code of D001. (See 40 CFR Part 261.20 - 261.33)

Any liquid product should be managed as a hazardous waste. Empty aerosol containers may

be recycled.

All disposal activities must comply with federal, state, provincial and local regulations. Local regulations may be more stringent than state, provincial or national requirements.

Section 14: Transport Information

US DOT (ground): UN1950, Aerosols, flammable, 2.1, Limited Quantity

ICAO/IATA (air): UN1950, Aerosols, flammable, 2.1, Limited Quantity

IMO/IMDG (water): UN1950, Aerosols, 2.1, Limited Quantity

Special Provisions: None

Section 15: Regulatory Information

U.S. Federal Regulations:

Toxic Substances Control Act (TSCA):

All ingredients are either listed on the TSCA inventory or are exempt.

Comprehensive Environmental Response, Compensation and Liability Act (CERCLA):

Reportable Quantities (RQ's) exist for the following ingredients:

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

Superfund Amendments Reauthorization Act (SARA) Title III:

Section 302 Extremely Hazardous Substances (EHS): None

Section 311/312 Hazard Categories:

Fire Hazard Yes Reactive Hazard No Release of Pressure Yes Product Name: QD® Electronic Cleaner (aerosol)
Product Number (s): 05101, 05103, 05703

Acute Health Hazard Yes Chronic Health Hazard No

Section 313 Toxic Chemicals:

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:

n-hexane (5.2%)

Clean Air Act:

Section 112 Hazardous Air Pollutants (HAPs): n-hexane

Occupational Safety and Health Administration:

This product is regulated by the Hazard Communications Standard.

U.S. State Regulations:

California Safe Drinking Water and Toxic Enforcement Act (Prop 65):

This product may contain the following chemicals known to the state of California to cause cancer, birth defects or other reproductive harm:

Methanol, Methyl isobutyl ketone

Consumer Products VOC Regulations:

This product complies with Consumer Product VOC regulations as an electronic

cleaner.

State Right to Know:

New Jersey: 75-83-2, 110-54-3, 79-29-8, 64-17-5, 75-37-6

Pennsylvania: 107-83-5, 75-83-2, 110-54-3, 79-29-8, 64-17-5, 75-37-6 Massachusetts: 107-83-5, 75-83-2, 110-54-3, 79-29-8, 64-17-5, 75-37-6

Rhode Island: 110-54-3, 64-17-5, 75-37-6

Canadian Regulations:

Controlled Products Regulations:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

WHMIS Hazard Class: A, B5, D2B

Canadian DSL Inventory: All ingredients are either listed on the DSL Inventory or are exempt.

European Union Regulations:

RoHS Compliance: This product is compliant with Directive 2002/95/EC of the European Parliament and of the

Council of 27 January 2003. This product does not contain any of the restricted substances as

listed in Article 4(1) of the RoHS Directive.


Additional Regulatory Information: None

Product Number (s): 05101, 05103, 05703

Section 16: Other Information

HMIS® (II)
Health:	1
Flammability:	3
Reactivity:	0
PPE:	В

Ratings range from 0 (no hazard) to 4 (severe hazard)



Prepared By:

Michelle Rudnick

CRC #:

985

Revision Date:

03/17/2014

Changes since last revision:

Section 3: CAS Number

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this MSDS consult your supervisor, a health & safety professional, or CRC Industries.

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstract Service
CFR: Code of Federal Regulations
DOT: Department of Transportation
DSL: Domestic Substance List

g/L: grams per Liter

HMIS: Hazardous Materials Identification System
IARC: International Agency for Research on Cancer
IATA: International Air Transport Association
ICAO: International Civil Aviation Organization
IMDG: International Maritime Dangerous Goods
IMO: International Maritime Organization

IMO: International Maritime lbs./gal: pounds per gallon Lethal Concentration

LD: Lethal Dose

NA: Not Applicable ND: Not Determined

NIOSH: National Institute of Occupational Safety & Health

NFPA: National Fire Protection Association
NTP: National Toxicology Program

OSHA: Occupational Safety and Health Administration

PMCC: Pensky-Martens Closed Cup
PPE: Personal Protection Equipment
ppm: Parts per Million

RoHS: Restriction of Hazardous Substances

STEL: Short Term Exposure Limit

TCC: Tag Closed Cup
TWA: Time Weighted Average

WHMIS: Workplace Hazardous Materials Information

System