

# MATERIAL SAFETY DATA SHEET

# 1. Product and Company Identification

**Material name** 

C4810Series

HP 11 Black Printhead

**Version #** 

02

**Issue date** 

13-Sep-2012

**Revision date** 

27-Jun-2013

**Product use** 

Inkjet printing

CAS#

Mixture

Company identification

Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185

**United States** 

Telephone 650-857-5020

Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209

(Direct) 760-710-0048 **HP Customer Care Line** 

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

## 2. Hazards Identification

## **Emergency overview**

Contact with skin and eyes may result in irritation. Contact with skin and eyes may result in

irritation.

#### Other hazards

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. Potential routes of overexposure to this product are skin and eye contact Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions. Complete toxicity data are not available for this specific formulation None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

# 3. Composition / Information on Ingredients

Hazardous components	CAS #	Percent
2-pyrrolidone	616-45-5	<10
Carbon black	1333-86-4	<5
Non-hazardous components	CAS#	Percent
Water	7732-18-5	<80

## **Composition comments**

This ink supply contains an aqueous ink formulation.

This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazarc

Communication Standard).

Carbon black is present only in a bound form in this preparation.

# 4. First Aid Measures

# **General advice**

No information

First aid procedures

Eye contact

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.

Skin contact

Wash affected areas thoroughly with mild soap and water. If irritation persists get medical

attention.

Material name: C4810Series

MSDS US 9455 Version #: 02 Revision date: 27-Jun-2013 Issue date: 13-Sep-2012

1/6

Inhalation Move to fresh air. If symptoms persist, get medical attention. Ingestion If ingestion of a large amount does occur, seek medical attention.

5. Fire Fighting Measures

Flammable properties

None known.

Extinguishing media

Suitable extinguishing

media

CO2, water, dry chemical, or foam

Unsuitable extinguishing

media

None known.

Fire fighting

equipment/instructions

Specific methods

Not available.

**Hazardous combustion** 

None established.

products

Refer to section 10.

6. Accidental Release Measures

Personal precautions

Wear appropriate personal protective equipment.

**Environmental precautions** Methods for cleaning up

Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Soak up with inert absorbent material.

Other information

Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also

section 13 Disposal considerations.

7. Handling and Storage

Handling

Avoid contact with skin, eyes and clothing.

**Storage** 

Keep out of the reach of children. Keep away from excessive heat or cold.

# 8. Exposure Controls / Personal Protection

## Occupational exposure limits

## **US. ACGIH Threshold Limit Values**

Components	Туре	Value	Form
Carbon black (CAS	TWA	3 mg/m3	Inhalable fraction.
1333-86-4)		-	

## US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value
Carbon black (CAS	PEL	3.5 mg/m3
1333-86-4)		

# US, NIOSH: Pocket Guide to Chemical Hazards

Components	Туре	Value	
Carbon black (CAS	TWA	0.1 mg/m3	
1333-86-4)		<b>J</b> ,	

os. Tennessee. OELS. Occupational exposure Limits, Table 21A			
Components	Туре	Value	
Carbon black (CAS 1333-86-4)	TWA	3.5 mg/m3	

**Exposure guidelines** 

Exposure limits have not been established for this product.

**Engineering controls** Use in a well ventilated area. Provide adequate ventilation.

Personal protective equipment

General Use personal protective equipment to minimize exposure to skin and eye.

Skin protection Protected gloves not required under intended use.

General hygiene Handle in accordance with good industrial hygiene and safety practice. considerations

Material name: C4810Series

9. Physical & Chemical Properties

**Appearance** Not available.

**Physical state** Liquid.

Form Not available.

Color Black.

Odor Not available. 7.8 - 8.8рH

Vapor pressure Not determined **Boiling point** Not determined Melting point/Freezing point Not available. Solubility (water) Soluble in water Specific gravity Not available. Flash point Not available. **Viscosity** >= 2 cp

VOC Not available

Other information For other VOC regulatory data/information see Section 15.

# 10. Chemical Stability & Reactivity Information

**Chemical stability** Stable under recommended storage conditions.

Conditions to avoid No information available

**Incompatible materials** Incompatible with strong bases and oxidizing agents.

Hazardous decomposition Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon products

dioxide and/or low molecular weight hydrocarbons.

Possibility of hazardous

reactions

Will not occur.

## 11. Toxicological Information

# Tavianianiani data

Components	Species	Test Results	
2-pyrrolidone (CAS 616-45-5)			
Acute			

Oral LD50

Guinea pig 6500 mg/kg

Rat 6500 mg/kg

Carbon black (CAS 1333-86-4)

Acute Oral

LD50

Rat

> 8000 mg/kg

## Carcinogenicity

Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint.

#### **ACGIH Carcinogens**

CARBON BLACK, INHALABLE FRACTION (CAS 1333-86-4) A3 Confirmed animal carcinogen with unknown relevance to

## IARC Monographs. Overall Evaluation of Carcinogenicity

Carbon black (CAS 1333-86-4)

2B Possibly carcinogenic to humans.

Serious eye damage/eye

irritation

Not available.

**Further information** 

This ink formulation has not been tested for toxicological effects.

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

Material name: C4810Series

MSDS US 9455 Version #: 02 Revision date: 27-Jun-2013 Issue date: 13-Sep-2012

12. Ecological Information

Aquatic toxicity

LC50/96h/Fathead minnows => 750 mg/L

Ecotoxicological data

Components Species Test Results

2-pyrrolidone (CAS 616-45-5)

**Aquatic** 

Crustacea EC50

Water flea (Daphnia pulex)

13.21 mg/l, 48 hours

Persistence and degradability Not available.

**Bioaccumulation / Accumulation** 

**Bioaccumulative potential** 

Octanol/water partition coefficient log Kow

2-pyrrolidone

-0.85

**Partition coefficient** 

2-pyrrolidone

-0.85

13. Disposal Considerations

**Disposal instructions** 

Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is provided in the program of the provided in the program of the provided in the program of the provided in the provided i

is available in your location, please visit http://www.hp.com/recycle.

# 14. Transport Information

DOT

Not regulated as dangerous goods.

**IATA** 

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

**RID** 

Not regulated as dangerous goods.

**Further information** 

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory Information

**US federal regulations** 

US TSCA 12(b): Does not contain listed chemicals.

Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and Chemical Code Number

Not listed.

Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

Not regulated.

**DEA Exempt Chemical Mixtures Code Number** 

Not regulated.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA (Superfund) reportable quantity** 

None

Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** 

Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely

hazardous substance

No

Material name: C4810Series

SARA 311/312 Hazardous chemical No

Other regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

Listed: February 21, 2003 Carcinogenic.

# State regulations

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

CARBON BLACK (AIRBORNE, UNBOUND PARTICLES OF

RESPIRABLE SIZE [<= 10 MICROMETERS]) (CAS

1333-86-4)

US - New Jersey RTK - Substances: Listed substance

Carbon black (CAS 1333-86-4)

Listed.

**US. Massachusetts RTK - Substance List** 

2-pyrrolidone (CAS 616-45-5) Carbon black (CAS 1333-86-4)

**US. Pennsylvania RTK - Hazardous Substances** 

2-pyrrolidone (CAS 616-45-5) Carbon black (CAS 1333-86-4) Listed.

**US. Rhode Island RTK** 

Carbon black (CAS 1333-86-4)

# 16. Other Information

**HMIS®** ratings

Health: 1

Flammability: 0 Physical hazard: 0

**NFPA** ratings

Health: 1

Flammability: 0 Instability: 0

**Disclaimer** 

This Safety Data Sheet document is provided without charge to customers of Hewlett-Packarc Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Other information

This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation (29

CFR 1910.1200).

**Issue date** 

13-Sep-2012

This data sheet contains changes from the previous version in section(s):

Hazards Identification: Other hazards

9. Physical & Chemical Properties: Other information

**Manufacturer information** 

Hewlett-Packard Company 3000 Hanover Street

Palo Alto, California 94304-1112 US

(Direct) 1-503-494-7199

(Toll-free within the US) 1-800-457-4209

Material name: C4810Series

MSDS US

9455 Version #: 02 Revision date: 27-Jun-2013 Issue date: 13-Sep-2012

#### **Explanation of abbreviations**

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

**DOT** Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OCCUpational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

**REC** Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: C4810Series

9455 Version #: 02 Revision date: 27-Jun-2013 Issue date: 13-Sep-2012 6 / 6

MSDS US