SAFETY DATA SHEET

1. Identification

Product identifier

HP Color LaserJet CE412A-AC Yellow Print Cartridge

Other means of identification

Product Code

CE412A-AC

Recommended use

This product is a yellow toner preparation that is used in HP LaserJet Pro 300 Color M351/HF LaserJet Pro 400 Color M451/HP LaserJet Pro 300 Color MFP M375/HP LaserJet Pro 400 Color MFP

M475 series printers.

Recommended restrictions

None known.

Company identification

Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185

United States

Telephone 650-857-5020

Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209

(Direct) 1-760-710-0048 HP Customer Care Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

2. Hazard(s) identification

Physical hazards

Not classified.

Health hazards

Not classified.

invironmental hazards

Not classified.

OSHA defined hazards

Not classified.

Label elements

Hazard symbol

None.

Signal word

None.

Hazard statement

Not available.

Precautionary statement

Prevention

Not available.

Response

Not available.

Storage

Hazard(s) not otherwise

Not available.

Disposal

classified (HNOC)

Not available.

This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH.

Supplemental information

None.

3. Composition/information on ingredients

Mixtures

_	Chemical name	Common name and synonyms	CAS number	%
	Styrene acrylate copolymer		Trade Secret	- < 85
_	Wax	Wax	Trade Secret	- < 10
	Pigment	Pigment	Trade Secret	- < 5
	Amorphous silica	Amorphous silica	7631-86-9	< 3

Material name: CE412A-AC

12719 Version #: 01 Issue date: 18-Sep-2014

4. First-aid measures

Inhalation Move person to fresh air immediately. If irritation persists, consult a physician.

Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation Skin contact

develops or persists.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists, consult a physician.

Ingestion Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a

physician.

Most important

symptoms/effects, acute and

delayed

Not available.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from

the chemical

Special protective equipment

and precautions for firefighters

Fire-fighting

equipment/instructions

Specific methods

CO2, water, or dry chemical

None known.

Not applicable.

Not available.

If fire occurs in the printer, treat as an electrical fire.

None established.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Minimize dust generation and accumulation.

Methods and materials for containment and cleaning up

Not available.

Environmental precautions

Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.

7. Handling and storage

Precautions for safe handling

Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames.

Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers. Store at room temperature.

8. Exposure controls/personal protection

Occupational exposure limits

US. NIOSH: Pocket Guide to Chemical Hazards

Components Type

Value

Amorphous silica (CAS 7631-86-9)

TWA

6 mg/m3

Biological limit values Exposure guidelines

No biological exposure limits noted for the ingredient(s).

USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction)

ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate), 3 mg/m3 (Respirable Particulate)

Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10 mg/m3

TRGS 900 (Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion)

UK WEL: 10 mg/m3 (Respirable Dust), 5 mg/m3 (Inhalable Dust)

Material name: CE412A-AC

SDS US 12719 Version #: 01 Issue date: 18-Sep-2014

Appropriate engineering controls

Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

Eye/face protection

Not available.

Skin protection

Hand protection

Not available.

Other

Not available.

Respiratory protection

Not available.

Thermal hazards

Not available.

9. Physical and chemical properties

Appearance

Fine powder

Physical state

Solid.

Color

Yellow

Odor

Slight plastic odor

Odor threshold

Not available.

pH

Not applicable

Melting point/freezing point

Not available.

Initial boiling point and

Not applicable

boiling range

Flash point

Not applicable

Evaporation rate Flammability (solid, gas)

Not applicable Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower Not flammable

(%)

Flammability limit -

upper (%)

Not available.

Explosive limit - lower

Not available.

(%)

Explosive limit - upper (%)

Not available.

Vapor pressure

Not applicable

Vapor density

Not applicable

Solubility(ies)

Solubility (water)

Negligible in water. Partially soluble in toluene and xylene.

Partition coefficient

(n-octanol/water)

Not available.

Auto-ignition temperature

Not applicable

Decomposition temperature

> 392 °F (> 200 °C)

Viscosity

Not applicable

Other information

Oxidizing properties

No information available.

Percent volatile

0 % estimated

Softening point

176 - 266 °F (80 - 130 °C)

Specific gravity

1 - 1.2

10. Stability and reactivity

Reactivity

Not available.

Chemical stability

Stable under normal storage conditions.

ossibility of hazardous

reactions

Will not occur.

Conditions to avoid

Imaging Drum: Exposure to light

Material name: CE412A-AC

12719 Version #: 01 Issue date: 18-Sep-2014

SDS US

Incompatible materials

Strong oxidizers

Hazardous decomposition

Carbon monoxide and carbon dioxide.

products

11. Toxicological information

Symptoms related to the

physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity

Skin corrosion/irritation

Not available.

Serious eye damage/eye

irritation

Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU

Directive 67/548/EEC and as amended.

Respiratory or skin sensitization

Respiratory sensitization

Not available.

Skin sensitization

Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU

Directive 67/548/EEC and as amended.

Germ cell mutagenicity

Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity

Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations

(USA), EU Directive, or Proposition 65 (California).

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity

Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65,

and DFG (Germany).

Specific target organ toxicity

- single exposure

Not available.

Specific target organ toxicity

repeated exposure

Not available.

Aspiration hazard

Not available.

Species

Chronic effects

No information available.

Further information

Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

Components

Test Results

Amorphous silica (CAS 7631-86-9)

Acute

Oral

LD50

Mouse

> 15000 mg/kg

Rat

> 22500 mg/kg

12. Ecological information

Aquatic toxicity

Not available

Ecotoxicity

LC50: > 100 mg/l, Fish, 96.00 Hours

Product

Species

Test Results

CE412A-AC

Aquatic

Fish

LC50

Fish

> 100 mg/l, 96 Hours

Persistence and degradability Not available.

Bioaccumulative potential Mobility in soil

Not available. Not available.

Other adverse effects

This product has not been tested for ecological effects.

Material name: CE412A-AC

SDS US

12719 Version #: 01 Issue date: 18-Sep-2014

13. Disposal considerations

Disposal instructions

Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

Hazardous waste code

Waste from residues /

Not regulated. Not available.

unused products Contaminated packaging

Not available.

14. Transport information

Annex II of MARPOL 73/78

Transport in bulk according to This substance/mixture is not intended to be transported in bulk.

and the IBC Code

Further information

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations

US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312

No

Hazardous chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

Material name: CE412A-AC

SDS US 12719 Version #: 01 Issue date: 18-Sep-2014

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

Regulatory information

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date

18-Sep-2014

Version #

Disclaimer

This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Revision Information

1. Product and Company Identification: Physical States Composition / Information on Ingredients: Ingredients Physical & Chemical Properties: Multiple Properties Ecological Information: Ecotoxicity

Manufacturer information

Hewlett-Packard Company 11311 Chinden Boulevard Boise, ID 83714 USA (Direct) 1-503-494-7199

(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

ACGIH

American Conference of Governmental Industrial Hygienists

CAS

Chemical Abstracts Service

CERCLA

Comprehensive Environmental Response Compensation and Liability Act

CFR

Code of Federal Regulations

COC

Cleveland Open Cup

DOT

EPCRA

Department of Transportation

IARC

Emergency Planning and Community Right-to-Know Act (aka SARA)

International Agency for Research on Cancer

NIOSH

National Institute for Occupational Safety and Health

NTP

National Toxicology Program

OSHA

Occupational Safety and Health Administration

PEL

Permissible Exposure Limit

RCRA

Resource Conservation and Recovery Act

REC

Recommended

REL

Recommended Exposure Limit

SARA

Superfund Amendments and Reauthorization Act of 1986

STEL TCLP

Short-Term Exposure Limit

TLV

Toxicity Characteristics Leaching Procedure

Threshold Limit Value

TSCA VOC

Toxic Substances Control Act Volatile Organic Compounds

Material name: CE412A-AC

SDS US 12719 Version #: 01 Issue date: 18-Sep-2014