

BRILLIANIZE, INC. Material Safety Data Sheet

Page 1 of 3 Version 1.5.1 Rev. Date: 18 April 2011

BRILLIANIZE, KleenMaster Products

1. IDENTIFICATION OF THE SUBSTANCE AND OF THE COMPANY		
Brillianize, Inc.	Emergency Phone: (707) 751-0656	
4952 Industrial Way	Information: (707) 751-0656	
Benicia, CA 94510	Web site: www.BRILLIANIZE.com	
Chemical Name: BRILLIANIZE®		
Generic descriptior	n: Cleaning and polishing emulsion	
Physical form	n: Liquid	
Colo	r: White	
	r: Some odor	
•	e: Health 1, Flammability 0, Instability/Reactivity 0	
NFPA = National Fire Protection Association		
2. COMPOSITION / INFORMATION ON NAME	<u>PERCENT</u> <u>THRESHOLD LIMIT/VALUE (UNITS)</u>	
Proprietary ingredients	0.77% • N/R	
Methyl Paraben (CAS# 99-76-3)	0.13% • N/R	
	efined by 29CFR1910.1200, OSHA's Hazard Communication	
Standard.	···· , ································	
3. OTHER INGREDIENTS		
Water (CAS# 7732-18-5)	99.1% • N/A	
4. PHSICAL AND CHEMICAL CHARACTERISTICS		
Physical Form:	•	
	White	
	Some odor	
Specific gravity@ 25° C:	1 Not determined	
Viscosity:		
Freezing/Melting Point: Boiling point:		
Vapor pressure @ 25° C:		
Solubility in water:		
Reactivity in water:	• •	
5. FIRST AID MEASURES		
	Flush with water for 15 minutes.	
Skin:	No first aid should be needed.	
Inhalation:	No first aid should be needed. Remove to fresh air.	
Ingestion:	-	
Comments:	Treat according to person's condition and specifics of exposure.	
6. STABILITY AND REACTIVITY		
Chemical Stability:	Stable	
Hazardous polymerization:	Hazardous polymerization will not occur.	
Conditions to avoid:	None Silicopa diavida, carbon diavida and traces of	
Hazardous decomposition products:	Silicone dioxide, carbon dioxide and traces of incompletely burned carbon products.	
Materials to avoid:	Oxidizing material can cause a reaction.	



BRILLIANIZE, INC. Material Safety Data Sheet

Page 2 of 3 Version 1.5.1 Rev. Date: 18 April 2011

BRILLIANIZE, KleenMaster Products

7. FIRE AND EXPLOSION DATA	
Flash point:	N/A
Flammable limits in air % by volume:	Lower N/A, Upper N/A
Auto ignition temperature:	N/A
Unusual fire and explosion hazards:	None known
Extinguisher media:	
On a sighting fighting are a surger	appropriate for surrounding fire and materials.
Special fire fighting measures:	As with all fires, evacuate personnel to a safe area. Fire fighters
	should use self-contained breathing equipment and protective
	clothing.
8. HEALTH HAZARDS	Inholation akin appidental ingestion akin injection
Routes of entry:	Inhalation, skin, accidental ingestion, skin injection.
Threshold limit value:	None established. There are no components with workplace exposure limits.
Signs and symptoms of overexposure:	Liquid is largely inert in contact with the human system. It may
	cause mild eye irritation upon eye contact or upon injection into
	the eye. Care should be used in using this material with any
	pressurized systems. Methyl Paraben can cause sensitization
••••••••••••••••••••••••••••••••••••••	reactions and dermatitis in sensitive individuals.
Medical conditions aggravated by exposure:	Hyper sensitivity to the material.
Carcinogenicity:	None reported by OSHA, IARC or NTP.
9. SPECIAL PROTECTION INFORMAT	-
Respiratory Protection:	•
Ventilation:	Ventilation should be used to maintain exposure below the PEL and TLV.
Protective Gloves:	
Eye Protection:	
	present.
applications may require added precautions. F	erature handling. Use at elevated temperature or aerosol/spray for further information regarding aerosol inhalation toxicity, please
	use of silicone-based materials in aerosol applications that has
been developed by the silicone industry (www.S	SEHSC.com).
10. SPECIAL PRECAUTIONS	
	This material should be handled and stored per label and other
	e product integrity. Do not take internally.
•	g this material with any pressurized systems offering potential for
	Avoid spills on hard surfaces, spilled material, even in small
quantities, may prese	
11. ACCIDENTAL RELEASE MEASUR	
since spilled materia	materials with a suitable absorbent. Clean area as appropriate als, even in small quantities, may present a slip hazard. Final re use of steam, solvents or detergents. Dispose of saturated
You will need to de	g materials appropriately, since spontaneous heating may occur. termine which federal, state and local laws and regulations are 2 of this MSDS provides information regarding certain federal and
••	See section 9 for personal protective equipment for spills.

Brillianize, Inc. • 4952 Industrial Way PO Box 867 • Benicia, CA 94510 Toll Free: 1 (800) 445-9344 • (707) 751-0656 • Fax: (707) 751-0545



BRILLIANIZE, INC. Material Safety Data Sheet

Page 3 of 3 Version 1.5.1 Rev. Date: 18 April 2011

BRILLIANIZE, KleenMaster Products

12. HANDLING AND STORAGE

Protect from freezing. Use with adequate ventilation. Avoid eye contact. Keep container closed. Internal consumption not recommended. Avoid spills on hard surfaces, spilled material, even in small quantities, may present a slip hazard.

Use reasonable care and store away from oxidizing materials.

13. REGULATORY INFORMATION

Contents of this MSDS comply with the OSHA Hazard Communication Standard 29 CFR1910.1200.

TSCA Status: All chemical substances in this material are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

EPA SARA Title III Chemical Listings

Section 302 Extremely Hazardous Substances (40 CFR 355) None.

Section 304 CERCLA Hazardous Substances (40 CFR 302)

None.

Section 313 Toxic Chemicals (40 CFR 370)

None present or none present in regulated quantities.

DISPOSAL CONSIDERATIONS

RCRA Hazard Class (40 CFR 261)

When a decision is made to discard this material, as received, is it classified as a hazardous waste? No. State of local laws may impose additional regulatory requirements regarding disposal.

14. TRANSPORTATION INFORMATION

DOT Road Shipment Information (49 CFR 172.101) Not subject to DOT

Ocean Shipment (IMDG)

Not subject to IMDG code.

Air Shipment (IATA) Not subject to IATA regulations.

15. OTHER INFORMATION

These data are offered in good faith as typical values and not as product specifications. No warranty, either expressed or implied, is hereby made. The recommended industrial hygene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific

believed to be generally applicable. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate. N/A = Not Applicable

N/R = Not Regulated ® indicates Registered Trademark. Date: 18 April 2011