## **Material Safety Data Sheet**

0261 (10273), 0265 (10274) TSP-90 Heavy Duty Cleaner

MSDS No. 0009 Rev. 2

Emergency Phone No. (918)825-5744

			(5 : 5/5	20 07 11				
	SECTION 1 – PRODUCT NAME & MANUFACTURER I	NFORM	ATION					
PRODUCT NAME	TSP-90 Heavy Duty Cleaner – White Granular Powder							
MANUFACTURER'S N. TELEPHONE NUMBER	Red Devil, Inc. (918)825-5744							
STREET ADDRESS	4175 Webb Street							
CITY / STATE / ZIP	Pryor, Oklahoma 74361							
SECTIO	N 2 – COMPOSITION / HAZARDOUS INGREDIENTS	%	TLV	PEL	UNITS			
PRODUCT CONSISTS (	DF:							
Sodium Metasilicate, Pentahydrate (6834-92-0)			NE	NE				
Non-hazard	ous ingredients*	0	NE	NE				
Communica	gredients are not considered hazardous under the OSHA Hazard tion Standard (29 CFR 1910.1200).  OC: 0%/wt, 0 g/L. CARB Compliance: Yes. Prop 65 Ingredients: None.							
SECTION 3 – HAZARDS IDENTIFICATION								
PRIMARY ROUTE(S) OF ENTRY	Skin Contact Skin Absorption Eye Contact	☐ Inhalation ☐ Ingestion						
EMERGENCY OVERVIEW	White, odorless, granular powder. Corrosive to eyes, skin & digestive tract. Dust corrosive to respiratory tract. Due to high pH of product, release into surface water is harmful to aquatic life. Noncombustible. Reacts w/ acids & some organics.							
EFFECTS OF OVEREXPOSURE								
MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE	None known.							
SECTION 4 – FIRST AID MEASURES								
SKIN CONTACT	Immediately flush skin w/ plenty of water for @ least 15 minutes, while removing contaminated clothing & shoes. Seek medical attention immediately. Wash clothing before reuse. Thoroughly clean shoes before reuse.							
EYE CONTACT	Immediately flush eyes w/ plenty of water for @ least 15 minutes. If easy to do, remove contact lenses, if worn. Seek medical attention immediately.							
INHALATION	Remove to fresh air. If not breathing, give artificial respiration. If breathing difficult, give oxygen. Seek medical attention.							
INGESTION	DO NOT INDUCE VOMITING. Seek medical attention immediately. If person is fully conscious, give cupful of water. Never give anything by mouth to an unconscious person.							

SECTION 5 – FIRE FIGHTING MEASURES							
FLAMMABLE Yes No							
EXTINGUISHING Material compatible w/ all extinguishing media.  MEDIA  Material compatible w/ all extinguishing media.							
FLASHPOINT (°F) & Material noncombustible.  METHOD	UPPER EXPLOSIVE LIMIT NA (% BY VOLUME)						
LOWER EXPLOSIVE LIMIT NA (% BY VOLUME)	AUTOIGNITION NA TEMPERTURE (°F)						
UNUSUAL FIRE & EXPLOSION HAZARDS  See Section 3 for information on hazards when material is present in area of a fire.							
When material present in the area of a fire: chemical goggles, body-covering protective clothing, chemical resistant gloves & rubber boots.							
SECTION 6 – ACCIDENTAL RELEASE MEASURES							
NIOSH-approved respirator where dust occurs. Carefully shovel or sweep up spilled material & place in suitable container. Avoid generating dust. There is no CERCLA Reportable Quantity for this material. If spill goes off site, notification of State & Local authorities is recommended.							
SECTION 7 - HANDLING & STORAGE							
HANDLING PROCEDURES & Do not get in eyes, on skin or on clothing. Do not breathe dust. Keep container closed. Promptly clean up spills. Wash thoroughly after handling.							
Store @ temperatures below 150F. Keep containers closed. Store in clean, tightly closed steel, fiber or plastic containers. Separate from acids, reactive metals & ammonium salts. Do not store in aluminum, fiberglass, copper, brass, zinc or galvanized containers. Product can absorb water from the air. In high humidity or storage for extended periods, use plastic bags to enclose product containers to avoid caking.							
SECTION 8 – EXPOSURE CONTROL / PERSONAL PROTECTION							
RESPIRATORY Use a NIOSH-approved dust respirator where dust of	ccurs.						
Wear chemical goggles.							
LOTHING / Wear body-covering protective clothing & gloves.							
HYGENIC PRACTICES Take appropriate measures to prevent all contact. Was	e appropriate measures to prevent all contact. Wash thoroughly before breaks & after workday.						
SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES							
	Odorless or musty odor. White powder.						
	VAPOR DENSITY NE AIR=1)						
EVAPORATION RATE NE	BOILING RANGE (°F) NE						
	SOLUBILITY IN Soluble.						
	%/WT VOLATILE NE (TNV)						
SECTION 10 - STABILITY AND REACTIVITY							
STABILITY Yes No Material stable under conditions of normal use & storage.							
ammonia gas. Flami	Generates heat when mixed w/ acid. May react w/ ammonium salt solutions resulting in ammonia gas. Flammable hydrogen gas may be produced on contact w/ aluminum, tin, lead & zinc. Carbon monoxide gas may result on contact w/ reducing sugars.						
CONDITIONS TO AVOID None.							
HAZARDOUS POLYMERIZATION/HAZARDOUS DECOMPOSITION PRODUCTS  Hazardous decomposition products: Hydrogen.							

SECTION 11 - TOXICOLOGICAL INFORMATION / CARCINOGENICITY							
ACGIH	NE	NE					
OSHA	Not listed as a carcinogen. Toxicity has not been tested.						
IARC	Not listed as a carcinogen. Toxicity has not been tested.						
NTP	Not listed as a carcinogen. Toxicity has not been tested.						
DATA WITH POSSIBI RELEVANCE TO HUN	Sodium Metasilicate, Pentahydrate is corrosive to eyes, skin & respiratory tract.						
SECTION 12 – ECOLOGICAL INFORMATION							
AQUATIC TOXICITY	Due to high pH, release into surface water is harmful to aquatic life. Material sinks & dissolves in water.						
SECTION 13 – DISPOSAL CONSIDERATIONS							
Dispose in accordance w/ Local, State & Federal Regulations. Disposed dry/solid material is not classified as a RCRA WASTE CODE IF DISCARDED (40CFR Sec.261)  RCRA Hazardous Waste. However, disposed water/wet solutions containing this material are classified as a RCRA Hazardous Waste, if they exhibit the corrosive characteristic (pH greater than or equal to 12.5) as defined by EPA			solutions containing this material are classified as a RCRA				
	SECTION 14 – TRANSPORT INFORMATION						
SPECIAL SHIPPING INFORMATION  DOT UN Status: A regulated hazardous material. <u>UN Proper Shipping Name</u> : Disodium Trioxosilicate, Pentahydrate. <u>UN Hazard Class/Division</u> : 8. <u>UN Identification No.</u> : UN3253. <u>UN Packing Group</u> : PG III.							
SECTION 15 – REGULATORY INFORMATION							
CERCLA – SARA HAZARD CATEGORY	No CERCLA Reportable Quantity has been established for this material. SARA Title III: Not an extremely hazardous substance under 302.	U.S. STATE REGS	See Section 16.				
SARA 313	Not a toxic chemical under 313. Hazard categories under 311/312: Acute.	TSCA	All ingredients of this material listed on TSCA Inventory.				

## SECTION 16 - OTHER INFORMATION / SPECIAL PRECAUTIONS / LEGEND

<u>FDA</u>: The use of sodium metasilicate is authorized by FDA as a boiler water additive for the production of steam that will contact food pursuant to 21 CFR 173.310; & as a GRAS substance pursuant to 21 CFR 184.1769a for use in washing & lye peeling of fruits, vegetables & nuts; as a denuding agent for tripe; a hog scald agent in removing hair; & as a corrosion preventative in canned & bottled water. WARNING: This product contains Sodium Metasilicate, Pentahydrate. Material is corrosive to eyes, skin & respiratory tract.

<u>LEGEND</u>: NA – Not Applicable, NE – Not Established, UN – Unavailable, VOC – Volatile Organic Compound, PEL – Permissible Exposure Limit, TLV – Threshold Limit Value, STEL – Short Term Exposure Limit, MSDS – Material Safety Data Sheet, ACGIH – American Conference of Governmental Industrial Hygienists, SARA – Superfund Amendments & Reauthorization Act of 1986, OSHA – Occupational Safety & Health Administration, HMIS – Hazardous Materials Identification System, NTP – National Toxicology Program, CEIL – Ceiling Exposure Limit, CASRN (CAS Number) – Chemical Abstracts Service Registry Number, TSCA – Toxic Substances Control Act

Reviewed By

Larry Brandon Vice President Technology & General Manager March 16, 2009

NAME DATE

The information contained herein has been developed based upon currently available scientific data. New information may be developed from time to time which may render the conclusions of this report obsolete. Therefore, no warranty is extended as to the applicability of this information to the user's intended purpose or for the consequences of its use or misuse.