# MATERIAL SAFETY DATA SHEET

Revised 2/12/12

# SmokeCheck<sup>TM</sup> HSI FIRE & SAFETY GROUP LLC

# 01. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NUMBER: HO-25SB PRODUCT NAME: SmokeCheck<sup>™</sup> PRODUCT DESCRIPTION: Aerosol PRODUCT CODE: FG # 16504

#### **COMPANY NAME:**

HSI Fire & Safety Group LLC 107 Garlisch Drive Elk Grove Village, IL 60007-1322 (847) 427-8340 Fax (847)-427-8343

# MANUFACTURED FOR HSI FIRE & SAFETY GROUP LLC, AT:

Shield Packaging Co., Inc

50 Oxford Ave. Dudley, MA 01571-3262

(508) 949-0900 Fax (508)-943-1473

24 HR. EMERGENCY TELEPHONE NUMBER: CHEMTREC 800-424-9300

24 HR. EMERGENCY INTERNATIONAL TELEPHONE NUMBER: CHEMTREC 703-527-3887

%

98

# 2. COMPOSITION

OCCUPATIONAL EXPOSURE LIMITS TLV TWA

CHEMICAL NAME
Butane/Propane Hydrocarbon Blend
63.0 % iso-Butane (CAS # 106-97-8)
35.7 % Propane (CAS # 74-98-6)
1.3 % n-Butane (CAS # 106-97-8)

Butane (CAS # 106-97-8) 600 ppm
pane (CAS # 74-98-6) 1000 ppm
utane (CAS # 106-97-8) 2 None

Vapor Pressure 64.0 psig @ 70°F

# 03. HAZARD IDENTIFICATION

Do not use or store near heat, sparks, open flame or any other source of ignition.

#### POTENTIAL HEALTH EFFECTS

#### EYES:

Proprietary

May cause stinging, tearing, redness, swelling and blurred vision. Possible burns similar to frost bite could occur with sustained spraying on eyes.

#### SKIN:

May cause irritation and stinging. Possible burns similar to frost bite could occur with sustained spraying on skin.

#### INGESTION:

Not a likely route of exposure. May be harmful if swallowed. Small amounts of this product aspirated into the respiratory system during ingestion or vomiting may cause mild to severe lung injury.

# INHALATION:

Inhalation of vapor may produce anesthetic effects and feeling euphoria. Prolonged over-exposure can cause rapid breathing, headache, dizziness, narcosis, unconsciousness, and death from asphyxiation, depending on concentration and time of exposure. Sustained deliberate inhalation of the concentrated product may lead to brain damage or death.

#### CHRONIC:

None known

# 04. FIRST AID MEASURES

#### EYES:

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing the eye. If irritation persists, call a poison control center or doctor for treatment advice.

## SKIN:

Remove contaminated clothing. Rapid evaporation of the liquid may cause frostbite. If there is evidence of frostbite, bathe (do not rub) with lukewarm (not hot) water. If water is not available, cover with a clean, soft cloth or similar covering. Call a physician if irritation develops or persists.

#### INGESTION:

Not a likely route of exposure. If swallowed do not induce vomiting. Seek immediate medical attention. Small amounts of this product aspirated into the respiratory system during ingestion or vomiting may cause mild to severe lung injury.

# INHALATION:

Remove affected person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice.

# 05. FIRE FIGHTING MEASURES

# Flammability rating (Aerosol):

1,4,0 (Health = 1, Flammability = 4, Reactivity = 0). Extremely flammable.

# Flashpoint (dispensed liquid):

138° F TOC; 445° F (229° C) ASTM D93, Pensky-Martens Closed Tester

# Autoignition temperature:

875° F

# **EXTINGUISHING MEDIA:**

Dry Chemical, Foam, CO2.

#### HAZARDOUS COMBUSTION PRODUCTS:

Under fire conditions this product may decompose to give off toxic gasses such as carbon monoxide and carbon dioxide.

# UNUSUAL FIRE AND EXPLOSION HAZARDS:

Aerosol cans may burst at temperatures above 120° F. This product is extremely flammable.

#### FIREFIGHTING PROCEDURES:

Evacuate personnel in the general area. Use water to cool material stored in vicinity of fire and remove aerosol cans from danger soon as possible. Aerosol cans may burst at temperatures above 120° F. If aerosol cans are bursting, stay clear until bursting is completed. Aerosols cans could act like projectiles when bursting. Isolate from oxidizers, open flames, sparks, heat, electric equipment and other sources of ignition. This product is toxic to fish. Do not allow runoff into lakes, streams, tidal marshes, or estuaries.

# 06. ACCIDENTAL RELEASE MEASURES

#### SMALL SPILL:

Ventilate area. Small leaks can be mopped or wiped immediately. Remove materials to out-of-doors or to a source of adequate ventilation and storage.

# LARGE SPILL:

Evacuate area. Contain liquid; transfer to closed metal containers. Avoid open flames, sparks and heat sources.

# **ENVIRONMENTAL PRECAUTIONS:**

Keep out of water supplies. This product is toxic to fish. Do not apply directly to lakes, streams, tidal marshes, or estuaries. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal wastes.

# 07. HANDLING AND STORAGE

# **GENERAL PROCEDURES:**

# HANDLING:

Avoid inhalation of vapor or mist. Use only with adequate ventilation. Do not get in eyes, on skin or on clothing. Product should be kept at temperatures below 120° F in a dry, cool area. Protect from sunlight. Product is extremely flammable. Keep away from heat, sparks, and flame. Do not pierce or burn containers, even after use.

#### STORAGE:

Store in a cool, dry area at temperatures below 120° F. Do **NOT** store near heat, open flame, ignition source or near strong acids, bases and oxidizers. Fire or intense heat may cause violent rupture of packages.

Level 3 Aerosol

# KEEP OUT OF THE REACH OF CHILDREN

# 08. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **EXPOSURE GUIDELINES:**

# OSHA HAZARDOUS COMPONENTS (29 CFR 1910.1200)

CHEMICAL NAME (CAS #)	OSHA (PEL)	ACGIH (TLV)	OTHER (LIMITS)
iso-Butane (CAS # 106-97-8)		600 ppm	
Propane (CAS # 74-98-6)		1000 ppm	
n-Butane (CAS # 106-97-8)		1000 ppm	

# **ENGINEERING CONTROLS:**

Mechanical ventilation should be used when handling this product in enclosed spaces.

#### PERSONAL PROTECTIVE EQUIPMENT:

Take precautions to avoid contact with eyes, face and skin.

#### RESPIRATORY:

Use in well ventilated areas. Take precautions to avoid breathing vapors or spray mist of this product.

DO NOT SMOKE, EAT, OR DRINK WHILE SPRAYING THIS PRODUCT. OBSERVE NORMAL HYGIENIC PRACTICES.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE:

Gas in pressurized aerosol can

BOILING RANGE (Aerosol):

-25.1 to +32° F

FREEZING POINT:

Not determined for aerosol

COLOR:

Clear, Colorless Gas

SPECIFIC GRAVITY (H2O = 1):

N/A

pH: VAPOR PRESSURE (mm H): N/A Not determined for aerosol

VOLATILE BY VOLUME - %:

< 100

VAPOR DENSITY (AIR=1):

> 1 > 1

EVAPORATION RATE (water = 1): APPEARANCE AND ODOR:

Clear, colorless, with sweet petroleum odor.

SOLUBILITY IN WATER:

Insoluble

VISCOSITY:

Not determined for aerosol

VOC:

None

# 10. STABILITY AND REACTIVITY

# STABLE:

Yes

# HAZARDOUS POLYMERIZATION:

Will NOT occur.

# HAZARDOUS DECOMPOSITION PRODUCTS:

Carbon monoxide and volatile hydrocarbon vapors.

# CONDITIONS TO AVOID:

Open flame, heat, sparks, electrical equipment or any means which can cause high temperatures at or above 120° F.

#### MATERIALS TO AVOID:

Strong oxidizing agents or reducing agents, strong acids and bases.

# 11. TOXICOLOGICAL INFORMATION

# ACUTE

DERMAL LD50: N/D

ORAL LD50: N/D

#### INHALATION LC50: N/D

This product should provide minimal risk to users. Do not inhale. Use only with adequate ventilation.

#### EYE EFFECTS:

This product should provide minimal risk to users. Do not spray directly on eyes, as frostbite could occur due to the rapid evaporation of the propellant.

#### SKIN EFFECTS:

This product should provide minimal risk to users. Do not spray directly on the skin, as frostbite could occur due to the rapid evaporation of the propellant.

#### SENSITIZATION:

Not determined.

#### COMMENTS:

None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, OSHA or ACGIH as being carcinogens.

# 12. ECOLOGICAL INFORMATION

**ENVIRONMENTAL DATA:** 

Not determined.

**ECOTOXICOLOGICAL INFORMATION:** 

Not determined.

# 13. DISPOSAL CONSIDERATIONS

# **DISPOSAL METHOD:**

Wastes resulting from the use of this product must be disposed of at an approved waste disposal facility.

# **EMPTY CONTAINER:**

Do **NOT** puncture or incinerate empty aerosol cans. Dispose of in accordance with procedures approved by State and Local authorities.

# RCRA/EPA WASTE INFORMATION:

None of the ingredients in this product appear on the RCRA lists (40 CFR 261.24, 40 CFR 251.33) or CERCLA Hazardous Substance list (40 CFR Part 302 Table 302.4).

# 14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

BY LAND:

CARTON MARKED WITH PROPER SHIPPING NAME: Consumer Commodity. Hazard Class: ORM-D

BY WATER VESSEL (IMO/IMDG):

PROPER SHIPPING NAME: UN1950, Aerosols, 2.1, Ltd. Qty. Label: None.

(Level 3 Aerosol)

AIR (ICAO/IATA):

PROPER SHIPPING NAME: ID8000, Consumer Commodity, 9. Label: Miscellaneous Dangerous Goods.

(Packaging instruction Y963)

PRIMARY HAZARD CLASS/DIVISION: N/D

OTHER SHIPPING INFORMATION: N/D

# 15. REGULATORY INFORMATION

# U.S. FEDERAL, STATE and LOCAL REGULATORY INFORMATION:

This product and/or its constituents listed herein are on the EPA TSCA inventory. Any spill or uncontrolled release of this product, including any substantial threat of release, may be subject to federal, state and/or local reporting requirements. This product and/or its constituents may also be subject to other federal, state or local regulations. Consult those regulations applicable to your operation.

#### CLEAN WATER ACT:

Any spill or release of this product to "navigable waters" (essentially any surface water, including certain wetlands) or adjoining shorelines sufficient to cause a visible sheen or deposit of a sludge or emulsion must be reported immediately to the National Response Center (800-424-8802) as required by U.S. Federal Law. Also contact appropriate state and local regulatory agencies as required.

# SARA SECTION 311/312 HAZARD CATEGORIES:

ACUTE

CHRONIC

SUDDEN RELEASE OF PRESSURE

REACTIVITY

HEALTH YES

HEALTH

FIRE YES

YES

# SARA SECTION 313 REPORTABLE INGREDIENTS:

This product contains no toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act (EPCRA) 0f 1986 and 49 CFR 372.

COMPONENT

CAS#

MAX %

NONE

NONE

0

See Section 03. HAZARD IDENTIFICATION, for potential health risks.

# SARA SECTION 302/304 EMERGENCY PLANNING

# **EMERGENCY PLAN:**


There are no SARA Title III Section 302 extremely hazardous substances present in this product (40 CFR 355).

VOLATILE ORGANIC COMPOUNDS (VOC): This product contains > 95% VOC's.

# 3. OTHER INFORMATION

# Flammability rating (Aerosol):

1,4,0 (Health = 1, Flammability = 4, Reactivity = 0). Extremely flammable









Global Warming Potential (GWP) = 3.2

The information contained in this Material Safety Data Sheet is furnished without warranty of any kind, expressed or polied. Information in this Data Sheet has been assembled by the manufacturer based on its own studies and on the like of others and is believed to be correct as of the date issued. However, no warranty of any kind is expressed or implied as to the accuracy, completeness, or adequacy of the information obtained herein. The Manufacturer shall not be liable, regardless of fault, to the vendee, the vendee's employees, or anyone for any direct, special or consequential damages arising out of, or in connection with, the accuracy, completeness, or adequacy of the information obtained herein. It is intended to assist in the normal safe usage of the product.

Revised 2/12/12