# SAFETY DATA SHEET

1. Identification

**Product identifier** HP Color LaserJet CE403A-AC-YC Magenta Print Cartridge

Other means of identification Not available.

Recommended use This product is a magenta toner preparation that is used in HP LaserJet Enterprise 500 Color M551

/ HP LaserJet Enterprise 500 color MFP M575 / HP LaserJet Pro 500 color MFP M570 series printers.

**Recommended restrictions Company identification** 

**Hewlett-Packard Company** 3000 Hanover Street

Palo Alto, CA 94304-1185

**United States** 

Telephone 650-857-5020

Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209

(Direct) 1-760-710-0048 **HP Customer Care Line** 

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

# 2. Hazard(s) identification

**Physical hazards** Not classified. **Health hazards** Not classified. **Environmental hazards** Not classified. **OSHA** defined hazards Not classified.

**Label elements** 

None. **Hazard symbol** Signal word None.

**Hazard statement** Not available.

**Precautionary statement** 

Not available. **Prevention** Response Not available. Not available. **Storage Disposal** Not available.

Hazard(s) not otherwise

classified (HNOC)

This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. None of the ingredients have been classified as carcinogens according

to EU, IARC, MAK, NTP, OSHA or ACGIH.

**Supplemental information** None.

# 3. Composition/information on ingredients

# **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Styrene acrylate copolymer		Trade Secret	
Pigment	Pigment	Trade Secret	<10
Wax	Wax	Trade Secret	<10
Amorphous silica	Amorphous silica	7631-86-9	<3

#### 4. First-aid measures

Inhalation Move person to fresh air immediately. If irritation persists, consult a physician.

Material name: CE403A-AC-YC

**Skin contact** Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

**Eye contact**Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists, consult a physician.

**Ingestion** Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a

physician.

**Most important** 

symptoms/effects, acute and

delayed

Not available.

# 5. Fire-fighting measures

Suitable extinguishing media

CO2, water, or dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards arising from

the chemical

Not applicable.

**Special protective equipment** 

and precautions for firefighters

Not available.

Fire-fighting

equipment/instructions

If fire occurs in the printer, treat as an electrical fire.

Specific methods

None established.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Minimize dust generation and accumulation.

Methods and materials for containment and cleaning up

Not available.

**Environmental precautions** 

Do not flush into surface water or sanitary sewer system. See also section 13 Disposal

considerations.

## 7. Handling and storage

Precautions for safe handling

Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames.

Conditions for safe storage,

including any incompatibilities

Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers.

Store at room temperature.

#### 8. Exposure controls/personal protection

**Occupational exposure limits** 

**US. NIOSH: Pocket Guide to Chemical Hazards** 

 Components
 Type
 Value

 Amorphous silica (CAS
 TWA
 6 mg/m3

7631-86-9)

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

**Exposure guidelines** USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction)

ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate), 3 mg/m3 (Respirable Particulate)

Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10

mg/m3

TRGS 900 (Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion)

UK WEL: 10 mg/m3 (Respirable Dust), 5 mg/m3 (Inhalable Dust)

Appropriate engineering

controls

Use in a well ventilated area.

Material name: CE403A-AC-YC SDS US

#### Individual protection measures, such as personal protective equipment

Not available. **Eye/face protection** 

Skin protection

Hand protection Not available. **Other** Not available. **Respiratory protection** Not available. Thermal hazards Not available.

# 9. Physical and chemical properties

**Appearance** Fine powder **Physical state** Solid. Color Magenta

Odor Slight plastic odor **Odor threshold** Not available. рH Not applicable Melting point/freezing point Not available. Initial boiling point and Not applicable

boiling range

Flash point Not applicable **Evaporation rate** Not applicable Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower Not flammable

(%)

Flammability limit -

upper (%)

Not available.

**Explosive limit - lower** 

(%)

Not available.

**Explosive limit - upper** 

(%)

Not available.

Vapor pressure Not applicable

Solubility(ies)

Solubility (water) Negligible in water. Partially soluble in toluene and xylene.

**Partition coefficient** Not available.

(n-octanol/water)

**Auto-ignition temperature** Not applicable **Decomposition temperature** > 392 °F (> 200 °C)

**Viscosity** Not applicable

Other information

**Percent volatile** 0 % estimated

Softening point 176 - 266 °F (80 - 130 °C)

Specific gravity 1 - 1.2

# 10. Stability and reactivity

Reactivity Not available.

**Chemical stability** Stable under normal storage conditions.

**Possibility of hazardous** 

reactions

Will not occur.

Conditions to avoid Imaging Drum: Exposure to light

**Incompatible materials** Strong oxidizers

**Hazardous decomposition** 

Carbon monoxide and carbon dioxide.

products

Material name: CE403A-AC-YC 3/6

# 11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics

Not available.

#### Information on toxicological effects

Acute toxicity

Skin corrosion/irritation

Not available.

Serious eye damage/eye irritation

Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU

Directive 67/548/EEC and as amended.

Respiratory or skin sensitization

**Respiratory sensitization** Not available.

Skin sensitization Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU

Directive 67/548/EEC and as amended.

Germ cell mutagenicity

Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity

Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations

(USA), EU Directive, or Proposition 65 (California).

**Reproductive toxicity**Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65,

and DFG (Germany).

Specific target organ toxicity

- single exposure

Not available.

**Specific target organ toxicity** 

- repeated exposure

Not available.

**Aspiration hazard** Not available.

**Chronic effects** No information available.

**Further information** Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

Components Species Test Results

Amorphous silica (CAS 7631-86-9)

**Acute** 

Oral

LD50 Mouse

Rat

> 15000 mg/kg > 22500 mg/kg

## 12. Ecological information

# **Ecotoxicity**

Product	Species	Test Results
CE403A-AC-YC		

Aguatic

Fish LC50 Fish > 100 mg/l, 96 Hours

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

## 13. Disposal considerations

**Disposal instructions**Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely

dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state,

and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is

available in your location, please visit http://www.hp.com/recycle.

Material name: CE403A-AC-YC SDS US

# 14. Transport information

**Further information** Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

## 15. Regulatory information

**US federal regulations** US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders

under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

**SARA 302 Extremely hazardous substance** 

Not listed.

**SARA 311/312** No

**Hazardous chemical** Other federal regulations

**Safe Drinking Water Act** 

Not regulated.

(SDWA)

**US state regulations** 

**US. Massachusetts RTK - Substance List** 

Not regulated.

**US. New Jersey Worker and Community Right-to-Know Act** 

**US. Pennsylvania Worker and Community Right-to-Know Law** 

Not listed

**US. Rhode Island RTK** 

Not regulated.

**US. California Proposition 65** 

Not Listed.

All chemical substances in this HP product have been notified or are exempt from notification under **Regulatory information** 

> chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and

China.

# 16. Other information, including date of preparation or last revision

**Issue date** 18-Sep-2014 **Revision date** 16-Apr-2015

Version # 02

**Disclaimer** This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard

> Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and

may not meet regulatory requirements in other countries.

Material name: CE403A-AC-YC SDS US

Manufacturer information Hewlett-Packard Company

11311 Chinden Boulevard Boise, ID 83714 USA (Direct) 1-503-494-7199

(Toll-free within the US) 1-800-457-4209

## **Explanation of abbreviations**

**ACGIH** American Conference of Governmental Industrial Hygienists

**CAS** Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

**COC** Cleveland Open Cup

**DOT** Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

**OSHA** Occupational Safety and Health Administration

**PEL** Permissible Exposure Limit

**RCRA** Resource Conservation and Recovery Act

**REC** Recommended

**REL** Recommended Exposure Limit

**SARA** Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

**TCLP** Toxicity Characteristics Leaching Procedure

**TLV** Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: CE403A-AC-YC SDS US