Version No.13351AU-14A

Issued: March 2014

Supersedes: April 2012

ANSI-Z400.1-2010, meets requirement of NOHSC:2011(1994)

Section 1: PRODUCT & COMPANY IDENTIFICATION

Product Name: Simple Green[®] Safety Towels Additional Names:

Manufacturer's Part Number: Please see section 16

Distributor:	Simple Green Australia Pty Ltd	ACN:	18862416081
	P.O. Box 1253 Golden Grove Village LPO	Telephone:	1300 826 470
	Golden Grove, SA 5125 Australia	Fax:	1300 826 473
Email:	info@simplegreenaustralia.com	Website:	http://australia.simplegreen.com/
Emergency Pho	ne: 1300 826 470 Available Monday – Friday, 9am-5pm		in particular and simple green comp

Uses: A sturdy towel infused with diluted Crystal Simple Green[®] for use on hard surfaces as well as colour safe soft surfaces. Used indoors, outdoors, homes, businesses, industrial, and any surface that needs to be cleaned of grease, oil, dirt or dust. See label for additional uses.

Section 2: HAZARDS IDENTIFICATION

 Classified as Hazardous according to Worksafe Australia

 Risk Phrases
 R36 IRRITATING TO EYES
 Signal Word:
 CAUTION

 Emergency Overview:
 CAUTION. Irritant. This is a clear translucent liquid with a faint chemical odour infused into a wipe.

Routes of Exposures: Eye Contact, Skin Contact, Inhalation

Potential Health Effects

Eye Contact:	Mildly irritating.			
Skin Contact:	No adverse effects expected under t sensitive individuals may experience	dverse effects expected under typical use conditions. Prolonged exposure may cause dryness. Chemically itive individuals may experience mild irritation.		
Ingestion:	May cause stomach or intestinal irritation if swallowed. See section 11.			
Inhalation:	No adverse effects expected under typical use conditions. Adequate ventilation should be present for prolonged usage in small enclosed areas.			
Medication Condi	tions Aggravated by Exposure:	Dermally sensitive users may experience irritation.		
Target Organs:	None.	, solo may experience initiation.		
Environmental Eff	ects: Not harmful.			

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS Number	Percent Range
Water	7732-18-5	≥ 94%
2-butoxyethanol	111-76-2	≤ 1%
Ethoxylated Alcohol	68439-46-3	≤ 1%
Tetrapotassium Pyrophosphate	7320-34-5	≤ 1%
Sodium Citrate	68-04-2	≤ 1%
Fragrance	Proprietary Mixture	≤ 1%
Preservative	Proprietary Mixture	≤ 1%

Section 4: FIRST AID MEASURES

If Inhaled: If over exposure occurs leave exposure area immediately. If irritation persists, seek medical advice.

If on skin: Gently flush affected area with water. Seek medical attention if irritation develops. Launder clothing before reuse.

If in eyes: Reddening may develop. Immediately rinse the eye with large quantities of cool water; continue 10-15 minutes or until the material has been removed; be sure to remove contact lenses, if present, and to lift upper and lower lids during rinsing. Get medical attention if irritation persists.

Version No.13351AU-14A

Issued: March 2014

Supersedes: April 2012

ANSI-Z400.1-2010, meets requirement of NOHSC:2011(1994)

Section 4: FIRST AID MEASURES - continued

If ingested: Drink plenty of water to dilute. Mild stomach or intestinal upset may occur due to detersive properties. For advice, contact a Poisons Information Centre on 13 11 26 (Australia Wide) or a doctor.

First Aid Facilities:Eye Wash Station or treatment recommended.Advice to Doctor:Treat symptomatically.

Section 5: FIRE FIGHTING MEASURES

Flammability:	Non flammable
Flash Point:	None
Suitable Extinguishing Media: Extinguishing Media to Avoid Special Exposure Hazards: Special Protective Equipment:	Use dry chemical, CO2, water spray or "alcohol" foam. High volume jet water. In event of fire created carbon oxides and oxides of phosphorus may be formed. Firefighters should wear self-contained breathing apparatus and full fire-fighting turn-out gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions: Use Personal Protection Recommended in Section 8

Environmental Precautions: Prevent runoff from entering drains, sewers or waterways.

Method for Containment: Dike or soak up with inert absorbent material.

Method for Clean Up: Dilute with water and rinse into sanitary sewer system or dispose into suitable container.

Section 7: HANDLING AND STORAGE

Handling: Before use carefully read the product label. Use of safe work practices are recommended to avoid eyes or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated area (eg. If container is damaged).

Storage: Store in cool, dry, well ventilated area, removed from oxidizing agents, acids and foodstuffs. Ensure containers are adequately labeled and protected from physical damage when not in use.

Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limit Values: 2-butoxyethanol		STEL 50 ppm; 240 mg/m ³	TWA 20 ppm; 96.9 mg/m ³
Engineering Controls:	Not applicable		
Exposure Controls:			

Eye Contact:Use protective glasses if splashing or spray-back is likely.Respiratory:Use in well ventilated areas.Skin Contact:Prolonged exposure or dermal sensitive individuals should use protective gloves.

General Hygiene Considerations: Avoid contact with eyes.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear Translucent liquid	Odour:	Chemical odour
Physical State:	Liquid	Odour Threshold:	Not available
Boiling Point:	110°C (230°F)	Flash Point:	Not applicable
Freezing Point:	-9° C (15.8°F)	Flammability Limits:	Not applicable
Specific Gravity:	1.014 - 1.025	Auto Ignition Temperature:	Not available
Evaporation Rate:	>1	Decomposition Temperature:	Not available
Vapor Pressure:	1.3 (air =1)	Density:	8.33 lbs/gal

Supersedes: April 2012

ANSI-Z400.1-2010, meets requirement of NOHSC:2011(1994)

Vapor Density:	Not available		Water Solubility:	100%	
pH:	8.0-8.9		Partial Coefficient:	Not available	
VOCs:	0.84%; 8.4 grams/litre			Not available	
Nutrient Content:	Nitrogen <0.1% (0% by formula)		Phosphorous <0.25% (by formu	ula) Sulfur < 0.1% (0% by formula)	
Section 10: STA	ABILITY AND R	EACTIVITY			
Stability: Stable under normal conditions 21°C (70°F) and 14.7 psig (760 mmHg)		7 psig (760 mmHg)			
activity: Non-reactive					
		None known	one known		
ncompatible materia	ls:	None known			
Materials to avoid:		None known			
Hazardous decompos	ition products:	Normal product	s of combustion – CO, CO2, oxides o	of phosphorus	
Possibility of hazardo		None known			
Section 11: TO	XICOLOGICAL	INFORMATION			
Effects of Exposure:	Irritated eyes, c	ough and irritation	of nasal passageway.		
Acute					
	ral LD ₅₀ (rat)	> 5 g/kg bod	v weight		
	ermal LD ₅₀ (rabbit)				
				ntal Hazards of Chemical Substances and Mixture	
			TP as known or suspected carcinoge		
E ye: Irritant	. Mild, reversible e	ye irritation may o	ccur based on relevant laboratory st	tudies. This potential is reduced by	
immed	iate rinsing of eyes	in case of eye con	tact. Reversible blurred vision may	occur.	
	itant. No special ve	entilation is require	d during use. Large-scale uses indo		
	itant. No special ve nange.	entilation is require	d during use. Large-scale uses indo		
nhalation: Low irr air excl	nange.			ors should provide an increased rate o	
nhalation: Low irr air excl Skin: Non irr	nange. itant. Mild, revers	ible skin irritation r	d during use. Large-scale uses indo may occur for those with dermal cor t in nausea, vomiting and reversible	ors should provide an increased rate on additions or chemical sensitivities	
nhalation:Low irr air exclSkin:Non irr ngestion:Low to	hange. itant. Mild, revers xicity. Large dose in	ible skin irritation r ngestion may resul	may occur for those with dermal cor	ors should provide an increased rate o nditions or chemical sensitivities gastrointestinal irritation.	
nhalation: Low irr air excl Skin: Non irr ngestion: Low to Chronic There have b	hange. itant. Mild, revers xicity. Large dose in een no reports of h	ible skin irritation r ngestion may resul nealth effects arisin	may occur for those with dermal cor t in nausea, vomiting and reversible	ors should provide an increased rate o nditions or chemical sensitivities gastrointestinal irritation.	
nhalation: Low irr air excl Skin: Non irr ngestion: Low to Chronic There have be Section 12: ECC	hange. itant. Mild, revers xicity. Large dose in een no reports of h DLOGICAL INFO	ible skin irritation r ngestion may resul nealth effects arisin ORMATION	may occur for those with dermal cor t in nausea, vomiting and reversible	ors should provide an increased rate o nditions or chemical sensitivities gastrointestinal irritation.	
Inhalation: Low irr air excl Skin: Non irr Ingestion: Low to	hange. itant. Mild, revers xicity. Large dose in een no reports of h DLOGICAL INFO	ible skin irritation r ngestion may resul nealth effects arisin ORMATION ctically non-toxic pe	may occur for those with dermal cor t in nausea, vomiting and reversible g from long term exposure to this p	ors should provide an increased rate o nditions or chemical sensitivities gastrointestinal irritation.	
nhalation: Low irr air excl Skin: Non irr ngestion: Low to <u>Chronic</u> There have b Section 12: ECC Aquatic Toxicity:	hange. itant. Mild, revers xicity. Large dose in een no reports of h DLOGICAL INFO Classified as prac Low, based on to	ible skin irritation r ngestion may resul nealth effects arisin ORMATION ctically non-toxic pe oxicology profile	may occur for those with dermal cor t in nausea, vomiting and reversible g from long term exposure to this p er USA-EPA Aquatic toxicity scale.	ors should provide an increased rate on nditions or chemical sensitivities gastrointestinal irritation. roduct.	
nhalation: Low irr air excl kin: Non irr ngestion: Low to Chronic There have be Section 12: ECC Aquatic Toxicity: Terrestrial Toxicity: Persistence and degra	hange. itant. Mild, revers xicity. Large dose in een no reports of h DLOGICAL INFO Classified as prac Low, based on to adability: Readily	ible skin irritation r ngestion may resul nealth effects arisin ORMATION ctically non-toxic pe oxicology profile y decomposed by n	may occur for those with dermal cor t in nausea, vomiting and reversible g from long term exposure to this p er USA-EPA Aquatic toxicity scale.	ors should provide an increased rate on nditions or chemical sensitivities gastrointestinal irritation. roduct. The biological oxygen demand (BOD),	
nhalation: Low irr air excl skin: Non irr ngestion: Low to Chronic There have be Section 12: ECC Aquatic Toxicity: Terrestrial Toxicity: Persistence and degration is an experimental degration is an experimental degration is an experimental degration of the section of the s	hange. itant. Mild, revers xicity. Large dose in een no reports of h DLOGICAL INFO Classified as prac Low, based on to adability: Readily include as a pe	ible skin irritation r ngestion may result nealth effects arisin ORMATION ctically non-toxic per oxicology profile y decomposed by n ercentage of the ch	may occur for those with dermal cor t in nausea, vomiting and reversible g from long term exposure to this p er USA-EPA Aquatic toxicity scale. naturally occurring microorganisms. emical oxygen demand (COD), after	ors should provide an increased rate on nditions or chemical sensitivities gastrointestinal irritation. roduct. The biological oxygen demand (BOD), 4, 7, and 11 days was 56%, 60% and	
nhalation: Low irr air excl skin: Non irr ngestion: Low to Chronic There have be Section 12: ECC Aquatic Toxicity: Terrestrial Toxicity: Persistence and degration is an experimental degration is an experimental degration is an experimental degration of the section of the s	hange. itant. Mild, revers xicity. Large dose in een no reports of h DLOGICAL INFO Classified as prace Low, based on to adability: Readily include as a pe 70%, re	ible skin irritation r ngestion may result nealth effects arisin ORMATION ctically non-toxic per pxicology profile y decomposed by n ercentage of the ch espectively. Per OE	may occur for those with dermal cor t in nausea, vomiting and reversible g from long term exposure to this p er USA-EPA Aquatic toxicity scale. naturally occurring microorganisms. emical oxygen demand (COD), after CD Closed Bottle Test, Simple Greer	ors should provide an increased rate on nditions or chemical sensitivities gastrointestinal irritation. roduct. The biological oxygen demand (BOD), 4, 7, and 11 days was 56%, 60% and	
nhalation: Low irr air excl skin: Non irr ngestion: Low to Chronic There have be Section 12: ECC Aquatic Toxicity: Terrestrial Toxicity: Persistence and degration is an experimental degration is an experimental degration is an experimental degration of the section of the s	hange. itant. Mild, revers xicity. Large dose in een no reports of h DLOGICAL INFO Classified as prace Low, based on to adability: Readily include as a pe 70%, ru recom	ible skin irritation r ngestion may result nealth effects arisin DRMATION ctically non-toxic per pxicology profile y decomposed by n ercentage of the ch espectively. Per OE mendations for rea	may occur for those with dermal cor t in nausea, vomiting and reversible g from long term exposure to this p er USA-EPA Aquatic toxicity scale. naturally occurring microorganisms. emical oxygen demand (COD), after CD Closed Bottle Test, Simple Greer dy biodegradability.	ors should provide an increased rate on nditions or chemical sensitivities gastrointestinal irritation. roduct. The biological oxygen demand (BOD), 4, 7, and 11 days was 56%, 60% and meets OECD and EPA	
nhalation: Low irr air excl skin: Non irr ngestion: Low to Chronic There have be Section 12: ECC Aquatic Toxicity: Terrestrial Toxicity: Persistence and degration is an experimental degration is an experimental degration is an experimental degration of the section of the s	hange. itant. Mild, revers xicity. Large dose in een no reports of h DLOGICAL INFO Classified as prac Low, based on to adability: Readily include as a pe 70%, re recom In a sta	ible skin irritation r ngestion may resul nealth effects arisin ORMATION ctically non-toxic pe oxicology profile y decomposed by n ercentage of the ch espectively. Per OE mendations for rea andard biodegradat	may occur for those with dermal cor t in nausea, vomiting and reversible g from long term exposure to this p er USA-EPA Aquatic toxicity scale. Naturally occurring microorganisms. emical oxygen demand (COD), after CD Closed Bottle Test, Simple Greer rdy biodegradability. tion test with soils from three differ	ors should provide an increased rate on inditions or chemical sensitivities gastrointestinal irritation. roduct. The biological oxygen demand (BOD), 4, 7, and 11 days was 56%, 60% and " meets OECD and EPA ent countries, Butyl Cellosolve reached	
nhalation: Low irr air excl skin: Non irr ngestion: Low to Chronic There have be Section 12: ECC Aquatic Toxicity: Ferrestrial Toxicity: Persistence and degrator For liquid only, does not	hange. itant. Mild, revers xicity. Large dose in een no reports of h DLOGICAL INFO Classified as prac Low, based on to adability: Readily include as a pe 70%, re recom In a sta 50% de	ible skin irritation r ngestion may result nealth effects arisin ORMATION ctically non-toxic per oxicology profile y decomposed by n ercentage of the ch espectively. Per OE mendations for real andard biodegradation in 6 to 2	may occur for those with dermal cor t in nausea, vomiting and reversible g from long term exposure to this p er USA-EPA Aquatic toxicity scale. Naturally occurring microorganisms. emical oxygen demand (COD), after CD Closed Bottle Test, Simple Greer rdy biodegradability. tion test with soils from three differ c3 days, depending upon soil type, a	ors should provide an increased rate on nditions or chemical sensitivities gastrointestinal irritation. roduct. The biological oxygen demand (BOD), 4, 7, and 11 days was 56%, 60% and meets OECD and EPA	
nhalation: Low irr air excl skin: Non irr ngestion: Low to Chronic There have be Section 12: ECC Aquatic Toxicity: Ferrestrial Toxicity:	hange. itant. Mild, revers xicity. Large dose in een no reports of h DLOGICAL INFO Classified as prac Low, based on to adability: Readily include as a pe 70%, ru recom In a sta 50% de for glu	ible skin irritation r ngestion may result nealth effects arisin ORMATION ctically non-toxic per oxicology profile y decomposed by mercentage of the ch espectively. Per OE mendations for real andard biodegradation egradation in 6 to 2 cose which was use	may occur for those with dermal cor t in nausea, vomiting and reversible g from long term exposure to this p er USA-EPA Aquatic toxicity scale. Naturally occurring microorganisms. emical oxygen demand (COD), after CD Closed Bottle Test, Simple Greer rdy biodegradability. tion test with soils from three differ	ors should provide an increased rate on inditions or chemical sensitivities gastrointestinal irritation. roduct. The biological oxygen demand (BOD), 4, 7, and 11 days was 56%, 60% and " meets OECD and EPA ent countries, Butyl Cellosolve reached	

Used & Unused Product: Dispose of in accordance with the local, State, Provincial, and Federal regulations for your location. Never dispose of used degreasing rinsates into lakes, streams, and open bodies of water or storm drains.

Empty Containers:

1

Triple-rinse with water and offer for recycling if available in your area.

Supersedes: April 2012

ANSI-Z400.1-2010, meets requirement of NOHSC:2011(1994)

Section 13: DISPOSAL CONSIDERATIONS - continued

Dispose of used or unused product, and empty containers in accordance with the local, State, Provincial, and Federal regulations for your location. Never dispose of used degreasing rinsates into lakes, streams, and open bodies of water or storm drains. Appropriate Method for Disposal:

Section 14: TRANSPORT INFORMATION

ADG Code: IMO / IDMG: ICAO/ IATA: ADR/RID:	Not classified as a Dangerous Good Road and Rail. Not classified as Dangerous Not classified as Dangerous Not classified as Dangerous	according to the Australian Code	e for the transport of Dangerous Goods by
U.N. Number DG Class Subsidiary Risks Packing Group	None Allocated None Allocated None Allocated None Allocated	Proper Shipping Name: Marine Pollutant:	Cleaning Compound, Liquid NOI NMFC#48580-3 Class 55 No
AICS: Poison Schedule:	REGULATORY INFORMATION All chemicals listed on the Australi A poison schedule number has not Uniform Scheduling of Drugs and F OTHER INFORMATION	been allocated to this product u	nces (AICS) ising the criteria in the standard for the
Manufacturer:	Sunshine Makers, Inc. 15922 Pacific Coast Highway Huntington Beach, CA 92649 USA		
Telephone: Fax: Emergency Phone Email:	+562-795-6000 [8am – 5pm, Monday +562-592-3830		e: <u>www.simplegreen.com</u>
	art Numbers (not all part numbers liste nt canister	d) 13352G - 1 count	

Reason for Revision: Update to company contact information.

DISCLAIMER: The information provided with this MSDS is furnished in good faith and without warranty of any kind. Personnel handling this material must make independent determinations of the suitability and completeness of information from all sources to assure proper use and disposal of this material and the safety and health of employees and customers. Sunshine Makers, Inc. assumes no additional liability or responsibility resulting from the use of, or reliance on this information.