: 12.5 (1%)	pH		
: Svoid, (Cast Solid) : Blue, (Light.) : Faint Octor	Color Odor		
ysic	Section 9. Ph	anything by mouth to an unconscious person. Get medical attention immediately.	
CEIL: 2 mg/m ³ Form: All forms OSHA PEL (United States, 6/1993). TWA: 2 mg/m ³ 8 hour(s). Form: All forms		removing contaminated clothing and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately. If inhaled, remove to fresh air.	Inhalation
UEIL: Z mg/m ³ Form: All forms NIOSH REL (United States, 6/2001).		: In case of contact, immediately flush skin with plenty of water for at least 15 minutes while	Skin contact
ACGIH TLV (United States, 9/2004).	Name Sodium hydroxide	 in case or contact, infinediately flush eyes with cool running water. Remove contact lenses and continue flushing with plenty of water for at least 15 minutes. Get medical attention immediately 	-Je contact
: No protective equipment is needed under normal use conditions.	iratory		Eve contact
Due to the form and packaging of the product, no protective equipment is needed under normal use conditions.	Skin	First aid measures	Section 4
 Due to the form and packaging of the product, no protective equipment is needed under normal use conditions. 	Hands	Ingestion : Harmful if swallowed. May cause burns to mouth, throat and stomach. See toxicological Information (section 11)	Ingestion See toxicologic
: Due to the form and packaging of the product, no protective equipment is needed under normal use conditions.	Eyes	 burns. No known significant effects or critical hazards. 	Inhalation
	Personal protection	 Severely initiating to the skin. Untreated contact may cause severe initiation or chamical Severely initiating to the skin. Untreated contact may cause severe initiation or chamical 	Skin
Over process enclosures, local exhaust ventilation, or other engineering controls to keep althorne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit. When working using the process of the exposure to airborne contaminants below the exposure limit. When we have a set of the exposure to airborne contaminants below the exposure limit. When we have a set of the exposure to airborne contaminants below the exposure limit. When we have a set of the exposure to airborne contaminants below the exposure limit. When we have a set of the exposure to airborne contaminants below the exposure limit.	controls	Keep container closed. Use only with adequate ventilation. Wash thoroughly after handling.	Potential acute health effects
· · · ·	8.	CAUSES SEVERE EYE AND SKIN IRRITATION. HARMFUL IF SWALLOWED.	
		Untreated contact may cause severe irritation or chemical burns.	
acequate ventuation. Avoid breathing dust. Wash thoroughly after handling. : Keep out of the reach of children. Do not get water inside container. Keep container tightly closed. Keep container in a cool, well-ventilated area. Store between -10 and 50°C	Storage	: Solid. (Cast Solid) : WARNING!	Physical state Emergency overview
: Do not ingest. Do not get in eyes, on skin or on clothing. Keep container closed. Use only with	Handling	. Hazards identification	Section 3.
Handling and storage	Section 7. H		
: If emergency personnel are unavailable vacuum or carefully scoop up spilled materials and place in an appropriate container for disposal. Avoid creating dusty conditions and prevent wind dispersal.	Methods for cleaning up	CAS number 1310-73-2 7758-29-4	Sodium hydroxide triphosphoric acid, Sodium carbonate
 Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. 	Environmental precautions	. Composition, Information on Ingredients	Section 2.
Ventilate area of leak or spill. Do not touch damaged containers or spilled material unless wearing appropriate protective equipment (Section 8). Stop leak if without risk. Prevent entry into severs, water courses, basements or configured area.	Personal precautions	EMERGENCY HEALTH INFORMATION: 1-800-328-0026 Outside United States and Canada CALL 1-651-222-5352 (in USA)	
Accidental release measures	Section 6.	: 949008 : 15-August-2005	Date of issue
Dike area of fire to prevent product run-off. No specific hazard. Fire fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full facepiece operated in positive pressure mode.	Special protective for fire-fighters	 Machine Warewashing Detergent Ecolab Inc. Institutional Division 370 N. Wabasha Street St. Paul, MN 55102 1-800-352-5326 	Product use Supplier
: > 100°C dia and : Use an extinguishing agent suitable for surrounding fires.	Fire fighting media	: SOLID POWER	
ne ngin			
fighting mono			
Page: 2/4	SOLID POWER	Tial Safety Data Sheet ECOLAR	Mat

SOLID POWER Page: 3/4	SOLID POWER
Section 10. Stability and reactivity	Section 16. Other information
Stability : The product is stable. Reactivity : Extremely reactive or incompatible with acids. Highly reactive with metals. Reactive with organic materials.	0 2
Section 11. Toxicological information	Personal
Eyes : Severely irritating to the eyes. Untreated contact may cause chemical burns. Skin : Severely irritating to the skin. Untreated contact may cause severe irritation or chemical	Date of issue : 15-August-2005. Responsible name : Regulatory Affairs Date of previous issue : 12-Lanuary 2005
Inhatation : No known significant effects or critical hazards.	Notice to reader
	The above information is believed to be correct with respect to the formula used to manufacture the product in the country of origin. As data, standards, and regulations change, and conditions of use and handling are
Chronic effects on : Contains material which causes damage to the following organs: lungs, upper respiratory humans tract, skin, eye, lens or cornea.	beyond our control, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.
Section 12. Ecological information	
Products of degradation : These products are carbon oxides (CO, CO ₂) and water, sulfur oxides (SO ₂ , SO ₃), phosphates. Some metallic oxides.	
Section 13. Disposal considerations	
Waste disposal : The generation of waste should be avoided or minimized wherever possible. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.	
Section 14. Transport information	
Regulatory UN number Proper shipping name Class Packing Additional information group	
DOT UN1759 Corrosive solids, n.o.s. 8 III Limited guantity Classification (Sodium hydroxide) 11 Yes. Yes.	
Special provisions 128, IB8, IP3	
APPLIES ONLY DURING ROAD TRANSPORT Any variation of the shipping description based on the packaging is not addressed.	
Section 15. Regulatory information	
HCS Classification : Corrosive material Target organ effects U.S. Federal regulations : SARA 302/304/311/312 extremely hazardous substances: None.	
California prop. 65 : No products were found.	