MSDS Document for SD-20 ALL PURPOSE DEGREASER (AEROSOL)

# Spartan Chemical Company, Inc. Material Safety Data Sheet

#### **SECTION I: PRODUCT INFORMATION**

Product Name or Number (as i	
SD-20 ALL PURPOSE I	DEGREASER (AEROSOL) Janitorial
Product Number: 6520	
Spartan Chemical Company	Inc. Product/Technical Information: 1-(800)-537-8990
1110 Spartan Drive	Medical Emergency:1-(888)-314-6171 (24 hours)
Maumee OH 43537	Chemical Leak/Spil CHEMTREC 1-(800) 424-9300 (24 hours) Emergency:
Shipping Description:	ORM-D, Consumer commodity, cleaning compounds, aerosol, n.o.s.

NFPA Ratings:		HMIS Ratings:	
Health:	1- Slight	Health:	1- Slight
Fire:	0 - Minimal	Fire:	0 - Minimal
Reactivity:	1- Slight	Reactivity:	1- Slight
		Pers. Prot. Equip.:	See Section VIII

# **SECTION II: HAZARDOUS INGREDIENTS**

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

			Table Z- 1 - A		NTP, IARC	
Chemical Name(s)	% W	CAS Registry No.	TWA mg/m <sup>3</sup>	STEL mg/m <sup>3</sup>	CELING mg/m <sup>3</sup>	or OSHA Carcinogen
*2-Butoxyethanol	5-10	111-76-2	120 (skin)	Not Established	Not Established	No
Isobutane	5-10	75-28-5	1900 (NIOSH)	Not Established	Not Established	No
Isopropanol	1-5	67-63-0	980	1225	Not Established	No
Tetrapotassium pyrophosphate	1-5	7320-34-5	Not Established	Not Established	Not Established	No

Comment: \*This substance is subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (SARA) and of 40 CFR 372.

# **SECTION III: PHYSICAL DATA**

Boiling Point:	(Concentrate) 212 °F	Vapor Pressure:	Not Established	
Vapor Density (AIR = 1):	Not Established	Solubility in Water:	Complete	
pH:	10.5-11.5	Specific Gravity (H <sub>2</sub> O=1):	1.0	
Evaporation Rate (but.ace.=1): Physical State:		Percent Solid by Weight:	<5	
Appearance & Odor: Foam spray, citrus odor				

#### **SECTION IV: FIRE & EXPLOSIVE HAZARD DATA**

Flash Point:	Propellant: < 0°F	Method Used:	ASTM-D3065	
Flammable Limits:	Not Established	Flame Extension:	0" NFPA 30 B Storage Level 1 Aerosol.	
Extinguishing Media:	Water, Carbon dioxide, Dry Chemical.			
	Water may be used to cool closed containers to prevent pressure build-up and possible rupture, venting or bursting of containers. Use equipment or shielding required to protect personnel against bursting, rupturing or venting containers.			
Unusual Fire & Explosive Hazards:	At elevated temperatures (130 °F/ 54°C) containers may vent, rupture or burst.			

# **SECTION V: HEALTH HAZARD DATA**

Threshold Limit Value:	Not Established		Inhalation, Skin Contact, Eyes and Oral.
-	MAY CAUSE EYE AND SK and swelling. May be harmful MAY BE HARMFUL IF SW pain and diarrhea. INHALATION OF VAPORS IRRITATION. Contains 2-bu depression with symptoms suc Exposure to 2-butoxyethanol r animal data. Avoid contact with eyes and product mist. Wash thoroug	if absorbed through the ski VALLOWED. Symptoms if S OR SPRAY MIST MAY notoxyethanol which may cau th as headache; dizziness; in nay cause blood cell; liver skin and clothing. Do not	may include nausea, vomiting, Y CAUSE RESPIRATORY use central nervous system hausea and drowsiness. and kidney damage based on swallow. Avoid breathing
	Use of this product may aggra including asthma and dermatit		nd respiratory disorders

#### **Emergency & First Aid Procedures:**

Eyes:	In case of contact; immediately flush eyes with water for at least 15 minutes. Remove contact lenses. Get medical attention if irritation persists.
Skin:	In case of contact; immediately flush skin with water for at least 15 minutes. Get medical attention if irritation persists.
Ingestion:	Do not induce vomiting. Drink one or two glasses of water to dilute product. Get medical attention. Do not give anything by mouth to an unconscious person.
Inhalation:	In case of respiratory irritation; move person to fresh air. Get medical attention if irritation persists.

### **SECTION VI: REACTIVITY DATA**

Stability:	Stable	Incompatible Materials:	None known
Hazardous Decomposition	$CO, CO_2$	Hazardous	Will Not Occur
Products:		Polymerization:	

#### **SECTION VII: SPILL OR LEAK PROCEDURES**

Steps to be Taken in Case	Flush with water through sanitary sewer system.
Material is Released or	
Spilled:	
Waste Disposal Method:	Do not incinerate or puncture aerosol container. Dispose of in accordance with state or
	local regulations.

## **SECTION VIII: SPECIAL PROTECTION INFORMATION**

Respiratory Protection:	Not normally required when good general ventilation is provided. However, if exposure limits (see Section II) are exceeded or respiratory irritation occurs, use of a NIOSH approved respirator suitable for the use-conditions and chemicals in Section II should be considered.
Ventilation:	Provide good general ventilation. Local exhaust ventilation may be necessary for some operations.
Protective Gloves(Specify Type):	Rubber or water-resistant gloves
Eye Protection(Specify Type):	Splash Goggles
Other Protective Equipment:	See 29 CFR 1910.132-138 for further reference.

#### **SECTION IX: SPECIAL PRECAUTIONS**

	Contents under pressure. Do not use near fires, sparks, or flame. Do not store where temperatures could exceed 120°F.				
Other Precautions:	Keep out o	Keep out of reach of children.			
© SCC 02/17/2004	Name:	Ronald T. Cook	Title:	Manager, Regulatory Affairs	

SDALL PURPOSEEffectivDEREASER AEROSOLDate:

Effective 02/17/2004 Date:

Supercedes: 01

Title:Manager, Regulatory AffairsSupercedes:01/07/2000

Ref: 29 CFR 1910.1200 (OSHA) Changes: Update Sections I, II, III, IV, V, VIII & IX

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.