# SAFETY DATA SHEET



CLEAN FORCE GENERAL PURPOSE CLEANER/DEGREASER

### Section 1. Chemical product and company identification

Product name Recommended use and	-	CLEAN FORCE GENERAL PURPOSE CLEANER/DEGREASER Surface cleaner
restrictions		Use only for the purpose on the product label.
Product dilution information	:	Up to 16 oz/gal or 125 mL/L in water
Supplier's information	:	PureForce 370 Wabasha Street North St. Paul, MN 55102 1-866-444-7450
Code	:	948950-02
Date of issue	:	28 Aug 2013 EMERGENCY HEALTH INFORMATION: 1-800-328-0026 Outside United States and Canada CALL 1-651-222-5352 (in USA)

# Section 2. Hazards identification

1

	Product AS SOLD	Product AT USE DILUTION
GHS Classification	: SKIN CORROSION/IRRITATION - Category 1 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1 SKIN SENSITIZATION - Category 1	SKIN CORROSION/IRRITATION - Category 1 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1
GHS label elements		
Signal word	: Danger	Danger
Symbol		E.E.
Hazard statements	: Causes severe skin burns and eye damage. May cause an allergic skin reaction.	Causes severe skin burns and eye damage.
Precautionary staten	nents	
Prevention	: Wear protective gloves. Wear eye or face protection. Wear protective clothing. Avoid breathing vapor. Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace.	Wear protective gloves. Wear eye or face protection. Wear protective clothing. Wash hands thoroughly after handling.
Response	: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or physician. IF SWALLOWED: Immediately call a POISON CENTER or physician. Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse. Immediately call a POISON CENTER or physician. IF ON SKIN: Wash with plenty of soap and water. If skin	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or physician. IF SWALLOWED: Immediately call a POISON CENTER or physician. Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse. Immediately call a POISON CENTER or physician. IF IN EYES: Rinse cautiously with

#### Section 2. Hazards identification

	irritation or rash occurs: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.
Storage	: No other specific measures identified. No other specific measures identified.
Disposal	: See section 13 for waste disposal information. See section 13 for waste disposal information.
Other hazards	: None known. None known.

#### Section 3. Composition/information on ingredients

Substance/mixture : Mixture		
Product AS SOLD		
Hazardous ingredients	Concentration Range (%)	CAS number
BUTOXYDIGLYCOL	4	112-34-5
SODIUM HYDROXIDE	<1	1310-73-2
SODIUM CARBONATE	1 - 5	497-19-8
alcohols, c12-16, ethoxylated	1 - 5	68551-12-2
Limonene	<1.0	5989-27-5

#### Product AT USE DILUTION

1

Within the present knowledge of the supplier, this product does not contain any hazardous ingredients in quantities requiring reporting, in accordance with local regulations.

#### Section 4. First aid measures

	Product AS SOLD	Product AT USE DILUTION
Eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
Skin contact	: Take off immediately all contaminated clothing. Rinse skin with water or shower. Get medical attention immediately. Wash clothing before reuse. Clean shoes thoroughly before reuse.	Take off immediately all contaminated clothing. Rinse skin with water or shower. Get medical attention immediately. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention immediately.	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention immediately.
Ingestion	: Get medical attention immediately. Rinse mouth. Do not induce vomiting.	Get medical attention immediately. Rinse mouth. Do not induce vomiting.
Protection of first- aiders	: No action shall be taken involving any personal risk dangerous to the person providing aid to give mout clothing thoroughly with water before removing it, or	th-to-mouth resuscitation. Wash contaminated
Notes to physician	: Treat symptomatically. Contact poison treatment s been ingested or inhaled.	specialist immediately if large quantities have

See toxicological information (section 11)

### Section 5. Fire-fighting measures

Product AS SOLD		-
Suitable fire extinguishing media	Use water spray, fog or foam.	
Pecific hazards arising from the chemical	In a fire or if heated, a pressure increase will occur and the container may burst.	
Hazardous thermal decomposition products	Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides	
Specific fire-fighting methods	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.	
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.	

# Section 6. Accidental release measures

	Product AS SOLD	Product AT USE DILUTION
Personal precautions	: Initiate company's spill response procedures immediately. Keep people out of area. Put on appropriate personal protective equipment (see section 8). Do not touch or walk through spilled material.	Initiate company's spill response procedures immediately. Keep people out of area. Put on appropriate personal protective equipment (see section 8). Do not touch or walk through spilled material.
Environmental precautions	: Avoid contact of spilled material and runoff with soil and surface waterways.	Avoid contact of spilled material and runoff with soil and surface waterways.
Methods for cleaning up	: Follow company's spill procedures. Keep people away from spill. Put on appropriate personal protective equipment (see section 8). Absorb/ neutralize liquid material. Use a tool to scoop up solid or absorbed material and put into appropriate labeled container. Use a tool to scoop up solid or absorbed material and place into appropriate labeled waste container. Use a water rinse for final clean-up.	Follow company's spill procedures. Keep people away from spill. Put on appropriate personal protective equipment (see section 8). Absorb/neutralize liquid material. Use a tool to scoop up solid or absorbed material and put into appropriate labeled container. Use a tool to scoop up solid or absorbed material and place into appropriate labeled waste container. Use a water rinse for final clean-up.

# Section 7. Handling and storage

1

	Product AS SOLD	Product AT USE DILUTION
Handling	: Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Use only with adequate ventilation. Wash thoroughly after handling.	Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Use only with adequate ventilation. Wash thoroughly after handling.
Storage	: Keep out of reach of children. Keep container tightly closed.	Keep out of reach of children. Keep container tightly closed.
	Store between the following temperatures: 0 and $50^\circ\text{C}$	

# Section 8. Exposure controls/personal protection

Ingredient name			Ex	posure limits
BUTOXYDIGLYCOL			ACO	GIH TLV (United States, 3/2012). NA: 10 ppm 8 hours. Form: Inhalable
Limonene				tion and vapor
Linonene				IA WEEL (United States, 5/2010). NA: 30 ppm 8 hours.
SODIUM HYDROXIC	θE			GIH TLV (United States, 3/2012).
			C:	2 mg/m <sup>3</sup>
				HA PEL (United States, 6/2010).
			NIO	VA: 2 mg/m <sup>3</sup> 8 hours. <b>OSH REL (United States, 6/2009).</b>
				EIL: 2 mg/m <sup>3</sup>
		Product AS SOLD		Product AT USE DILUTION
Appropriate		Use only with adequate ventilation. If user		Use only with adequate ventilation. If user
engineering controls		operations generate dust, fumes, gas, vapor mist, use process enclosures, local exhaust ventilation or other engineering controls to ke worker exposure to airborne contaminants be any recommended or statutory limits. Provide suitable facilities for quick drenching or flushin of the eyes and body in case of contact or spl hazard.	ep low e	operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.
ersonal protection				
Eye protection	:	Use chemical splash goggles. For continued severe exposure wear a face shield over the goggles.	or	Use chemical splash goggles. For continued or severe exposure wear a face shield over the goggles.
Hand protection		Use chemical-resistant, impervious gloves.		Use chemical-resistant, impervious gloves.
Skin protection	:	Use synthetic apron, other protective equipme as necessary to prevent skin contact.	ent	Use synthetic apron, other protective equipment as necessary to prevent skin contact.
Respiratory protection	:	A respirator is not needed under normal and intended conditions of product use.		A respirator is not needed under normal and intended conditions of product use.
Hygiene measures	:	Wash hands, forearms and face thoroughly a smoking and using the lavatory and at the end should be used to remove potentially contami before reusing.	d of t	he working period. Appropriate techniques

# Section 9. Physical and chemical properties

	Product AS SOLD
Physical state	: Liquid.
Color	: Green [Light]
Odor	: citrus
рН	: 12.5 to 13.5 (100%)
Flash point	: Not applicable. Product does not support combustion.
Explosion limits	: Not available.
Flammability (solid, gas)	: Not available.
Melting point	: Not available.
oiling point	: >100°C (>212°F)

Product AT US	E DILUTION
Liquid.	
Green [Light]	
citrus	
11.25 to 12.25	
> 100°C	

# Section 9. Physical and chemical properties

Evaporation rate (butyl acetate = 1)	: Not available.
Vapor pressure	: Not available.
apor density	: Not available.
Relative density	: 1.024 to 1.044 (Water = 1)
Solubility	: Easily soluble in the following materials: colo water and hot water.
Partition coefficient: n-octanol/water	: Not available.
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.
Odor threshold	: Not available.
Viscosity	: Not available.

### Section 10. Stability and reactivity

Product AS SOLD	
Stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Materials to avoid	: Reactive or incompatible with the following materials: acids. Slightly reactive or incompatible with the following materials: metals.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Section 11. Toxicological information

Route of exposure	: Skin contact, Eye contact, Inhalation, Ingestion					
	Product AS SOLD	Product AT USE DILUTION				
Symptoms .		a second s				
Eye contact	: Adverse symptoms may include the following: pain watering redness	Adverse symptoms may include the following pain watering redness				
Skin contact	: Adverse symptoms may include the following: pain or irritation redness blistering may occur	Adverse symptoms may include the following pain or irritation redness blistering may occur				
Inhalation	: Adverse symptoms may include the following: coughing Respiratory tract irritation	Adverse symptoms may include the following: coughing Respiratory tract irritation				
Ingestion	: Adverse symptoms may include the following: stomach pains	Adverse symptoms may include the following: stomach pains				
Acute toxicity						
Eye contact	: Causes serious eye damage.	Causes serious eye damage.				
Skin contact	: Causes severe burns. May cause an allergic skin reaction.	Causes severe burns.				
Inhalation	: May cause respiratory irritation.	May cause respiratory irritation.				
ngestion	: May cause burns to mouth, throat and stomach.	May cause burns to mouth, throat and stomach.				

### Section 11. Toxicological information

oxicity	data		
Produc	t/inaredie	nt name	

Product/ingredient name					
2-(2-butoxyethoxy)ethanol			LD50 Dermal LD50 Oral	Rabbit Rat	2764 mg/kg 3306 mg/kg
sodium carbonate			LC50 Inhalation Dusts and mists	Rat	1.15 mg/l
			LD50 Dermal LD50 Oral	Rabbit Rat	>2000 mg/kg 2800 mg/kg
alcohols, c12-16, ethoxylated			LD50 Dermal LD50 Oral	Rabbit Rat	>2000 mg/kg 1100 mg/kg
(r)-p-mentha-1,8-diene			LD50 Dermal LD50 Oral	Rabbit Rat	>5000 mg/kg 4400 mg/kg
Chronic toxicity					5 5
Carcinogenicity	:	: No known significant effects or critical hazards.			
Mutagenicity	:	No known significant effects or critical hazards.			
Teratogenicity	:	: No known significant effects or critical hazards.			
<b>Developmental effects</b>	: No known significant effects or critical hazards.				
Fertility effects	:	No known s	ignificant effects or	critical ha	azards.

#### Section 12. Ecological information

#### Product AS SOLD

Ecotoxicity

: This material is harmful to aquatic life with long lasting effects.

#### Aquatic and terrestrial toxicity

Product/ingredient name	Result	Species	Exposure
2-(2-butoxyethoxy)ethanol	Acute LC50 1300 mg/l	Fish	96 hours
sodium carbonate	Acute EC50 200 mg/l	Daphnia	48 hours
alcohols, c12-16, ethoxylated	Acute LC50 1.5 mg/l	Fish	96 hours
sodium hydroxide	Acute EC50 40 mg/l	Daphnia	48 hours
Other adverse effects : No k	nown significant effects or critical haza	rds.	

#### Section 13. Disposal considerations

	Product AS SOLD	Product AT USE DILUTION
Disposal methods	: Avoid disposal. Attempt to use product completely in accordance with intended use. Disposal should be in accordance with applicable regional, national and local laws and regulations.	Avoid disposal. Attempt to use product completely in accordance with intended use. Disposal should be in accordance with applicable regional, national and local laws and regulations.
<b>RCRA</b> classification	: Unused product is D002 (Corrosive)	

#### Section 14. Transport information

Certain shipping modes or package sizes may have exceptions from the transport regulations. The classification provided may not reflect those exceptions and may not apply to all shipping modes or package sizes.

DOT DOT Classification

Not regulated.

IMO/IMDG

3

IMO/IMDG Classification Not regulated.

For transport in bulk, see shipping documents for specific transportation information.

### Section 14. Transport information

#### Product AT USE DILUTION

Not intended for transport.

# Section 15. Regulatory information

#### Product AS SOLD

#### U.S. Federal regulations

TSCA 8(b) inventory : All components are listed or exempted.

SARA 302/304/311/312 extremely hazardous substances: No listed substance

SARA 302/304 emergency planning and notification: No listed substance

SARA 313	Product name	CAS number	<b>Concentration</b>
Form R - Reporting requirements	: 2-(2-butoxyethoxy)ethanol	112-34-5	3.7125
California Prop. 65	: No listed substance		

### Section 16. Other information



1-800-352-5326

#### Notice to reader

The above information is believed to be correct with respect to the formula used to manufacture the product in the country of origin. As data, standards, and regulations change, and conditions of use and handling are beyond our control, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.